
This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

Google™ books

<https://books.google.com>



HAND BOOK OF GASOLINE AUTOMOBILES







AUTOMOBILES



1 9 1 1



PRESENTED BY
*Association of Licensed
Automobile manufacturers*



EIGHTH ANNUAL
HAND BOOK OF
GASOLINE
AUTOMOBILES

Copyright, 1911, by the
Association of Licensed Automobile Manufacturers
New York City, N. Y.

Engraved and Printed
by
The William Darling Press
New York


E I G H T H A N N U A L

HAND BOOK OF GASOLINE AUTOMOBILES

for

THE INFORMATION OF THE PUBLIC
WHO ARE INTERESTED IN THEIR
MANUFACTURE AND USE

1911



ASSOCIATION OF LICENSED
AUTOMOBILE MANUFACTURERS
7 EAST FORTY-SECOND STREET NEW YORK

1850

Digitized by Google

EIGHTH ANNUAL ANNOUNCEMENT

Showing by illustrations and specifications the products of the principal manufacturers throughout the United States, as well as imported cars, it is believed that the Eighth Annual Hand Book of Gasoline Automobiles, issued by the Association of Licensed Automobile Manufacturers, will furnish desirable information to prospective purchasers.

The Hand Book has definitely taken its place as a prominent annual publication, and is the standard authority accepted by the public and the trade at home and abroad, for ascertaining the fundamental characteristics of motor cars.

The Association, known generally as the A. L. A. M., comprises pioneer manufacturers of gasoline automobiles, who have acquired licenses under the United States Letters Patent No. 549,160 granted November 5th, 1895, to George B. Selden and declared valid September 15th, 1909, by the Hon. C. M. Hough, United States Judge, as covering the modern gasoline automobile.

Since Judge Hough's decision and the issuance of decrees, almost all the prominent manufacturers and importers have applied for and been granted licenses. The list now numbers seventy-nine makers and five importers.

Only such as are enumerated in this volume or in the official lists issued periodically by the A. L. A. M. are permitted to manufacture under the Selden Patent No. 549,160.

The A.L.A.M. was formed March 5th, 1903. Through constant co-operation and periodic meetings of the executive heads, sales managers and representatives of the mechanical departments of the factories, the improvement of the design, material and workmanship of American automobiles has been rapid, with the result that the A. L. A. M. cars are recognized as standard.

December 1st, 1910.

NOTE: Full particulars of the Selden Patent which is recognized by the companies herein as the basic patent on gasoline automobiles, with copies of the opinion of Judge Hough, declaring it valid, will be mailed on request.

ORGANIZATION OF ASSOCIATION OF LICENSED AUTOMOBILE MANUFACTURERS

OFFICERS

Charles Clifton, *President* . . . The Pierce-Arrow Motor Car Company
S. T. Davis, Jr., *Vice-President* . . . The Locomobile Company of America
L. H. Kittredge, *Secretary* . . . The Peerless Motor Car Company
George Pope, *Treasurer* . . . The Pope Manufacturing Company
Alfred Reeves, *General Manager* . . . A. L. A. M.

EXECUTIVE COMMITTEE

Charles Clifton . . . The Pierce-Arrow Motor Car Company
S. T. Davis, Jr. . . . The Locomobile Company of America
Thomas Henderson . . . Winton Motor Carriage Company
Hugh Chalmers . . . Chalmers Motor Company
Herbert Lloyd . . . The Columbia Motor Car Company

TRADES COMMITTEE

Thomas Henderson . . . Winton Motor Carriage Company
Benjamin Briscoe . . . Maxwell-Briscoe Motor Company
C. C. Hildebrand . . . Chalmers Motor Company
William R. Innis . . . Studebaker Automobile Company

COMMITTEE ON TIRES

Albert L. Pope . . . The Pope Manufacturing Company
L. H. Kittredge . . . The Peerless Motor Car Company
S. D. Waldon . . . Packard Motor Car Company
R. D. Chapin . . . Chalmers Motor Company

HAND BOOK COMMITTEE

L. H. Kittredge . . . The Peerless Motor Car Company
Thomas Henderson . . . Winton Motor Carriage Company
H. O. Smith . . . Premier Motor Manufacturing Company

SHOW COMMITTEE

George Pope . . . The Pope Manufacturing Company
Charles Clifton . . . The Pierce-Arrow Motor Car Company
Alfred Reeves . . . A. L. A. M.
M. L. Downs, *Secretary* . . . A. L. A. M.

ADVERTISING AND PUBLICITY COMMITTEE

Hugh Chalmers Chalmers Motor Company
James Joyce American Locomotive Company
J. A. Kingman The Locomobile Company of America

ASSOCIATION PATENTS COMPANY

DIRECTORS

Charles Clifton, *President* . . . The Pierce-Arrow Motor Car Company
Thomas Henderson, *Vice-President* . Winton Motor Carriage Company
George Pope The Pope Manufacturing Company
I. H. Page Stevens-Duryea Company
L. H. Kittredge The Peerless Motor Car Company
Hugh Chalmers Chalmers Motor Company
R. E. Olds Reo Motor Car Company
Alfred Reeves, *Secretary and Treasurer* A. L. A. M.
Hermann F. Cuntz (*Patent Matters.*)

COMMITTEE ON TESTS

H. E. Coffin, *Chairman* Hudson Motor Car Company
A. L. Riker The Locomobile Company of America
John Wilkinson H. H. Franklin Manufacturing Company
Russell Huff Packard Motor Car Company
F. B. Stearns F. B. Stearns Company
Charles Schmidt The Peerless Motor Car Company
David Fergusson The Pierce-Arrow Motor Car Company
Henry Souther *Metallurgist*

ALPHABETICAL INDEX

	PAGES		PAGES
Acme Motor Car Co.	274	H. H. Franklin Mfg. Co. . .	58-61
American Locomotive Co. .	96-102	Fuller Buggy Co.	266
American Motor Car Co. .	36-38	Garford Co.	256-258
Apperson Bros. Auto. Co. .	71	Grabowsky Power Wagon	
Atlas Motor Car Co. . . .	211-214	Co.	215
Autocar Co.	81-83	Haynes Automobile Co. . .	79-80
Bartholomew Co.	162-163	Hol-Tan Co.	209
Brewster & Co.	210	Hotchkiss Import Co. . . .	263
Brush Runabout Co. . . .	259-260	Hudson Motor Car Co. . . .	42-45
Buckeye Mfg. Co.	223	Hupp Motor Car Co.	41
Buick Motor Co.	239-244	Inter-State Automobile Co.	142-143
Cadillac Motor Car Co. . .	74-78	Jackson Automobile Co. . .	190-194
Cartercar Co.	268	Kissel Motor Car. Co. . . .	219-220
Chadwick Engineering		Knox Automobile Co. . . .	169-174
Works	124-125	Locomobile Co. of America	164-168
Chalmers Motor Co. . . .	105-109	Lozier Motor Co.	185-186
Columbia Motor Car Co. .	84-88	W. H. McIntyre Co.	261
Corbin Motor Vehicle Corp.	89-92	Mack Bros. Motor Car Co.	195-198
Courier Car Co.	137-138	Marquette Motor Co.	267
Daimler Import Co.	264-265	Matheson Motor Car Co. .	179-181
Dayton Motor Car Co. . .	133-136	Maxwell Briscoe Motor Co.	175-178
Dorris Motor Car Co. . . .	103-104	Mercer Automobile Co. . . .	187-189
Elmore Mfg. Co.	253-255	Metzger Motor Car Co. . . .	31-35
E - M - F Co.	39-40	Midland Motor Co.	72-73
Ewing Automobile Co. . . .	245	Mitchell-Lewis Motor Co. .	93-95
Flandrau Motor Car Co. .	15	Moline Automobile Co. . . .	119-120

ALPHABETICAL INDEX—Continued

	PAGES		PAGES
Morgan Co., R. L.	262	Regal Motor Car Co.	252
Moon Motor Car Co.	122-123	Reliance Motor Truck Co.	222
National Motor Vehicle Co.	248-251	Reo Motor Car Co.	20-24
Nordyke & Marmon Co.	182-184	Royal Tourist Car Co.	269-271
Oakland Motor Car Co.	228	Alden Sampson Mfg. Co.	218
Ohio Motor Car Co.	54-57	Selden Motor Vehicle Co.	224-227
Olds Motor Works	46-53	Simplex Automobile Co.	25-26
Packard Motor Car Co.	17-19	Simplex Motor Car Co.	238
Palmer & Singer Mfg. Co.	27-30	Smith Automobile Co.	272-273
Peerless Motor Car Co.	154-161	Speedwell Motor Car Co.	121
Pierce-Arrow Motor Car Co.	144-153	F. B. Stearns Co.	62-63
Pierce Motor Co.	199-202	Stevens-Duryea Co.	110-118
Pope Mfg. Co.	64-70	Studebaker Automobile Co.	246-247
Premier Motor Mfg. Co.	216-217	E. R. Thomas Motor Co.	203-208
Pullman Motor Car Co.	139-141	Waltham Mfg. Co.	128-132
Randolph Motor Car Co.	16	Willys-Overland Co.	229-237
Rapid Motor Vehicle Co.	221	Winton Motor Carriage Co.	126-127

INDEX OF TRADE NAMES

	PAGES		PAGES
Acme	274	Fuller	266
Alco	96-102	Garford	256-258
American	36-38	Glide	162-163
Amplex	238	Grabowsky Commercial	
Apperson	71	Cars	215
Atlas	211-214	Great Smith	272-273
Autocar	81-83	Haynes	79-80
Brasier	15	Hewitt Truck	34-35
Brush	259-260	Hotchkiss	263
Buick	239-244	Hudson	42-45
Cadillac	74-78	Hupmobile	41
Cartercar	268	Inter-State	142-143
Case	199-202	Jackson	190-194
Chadwick	124-125	Kissel Kar	219-220
Chalmers	105-109	Knox	169-174
Columbia	84-88	Lambert	223
Corbin	89-92	Locomobile	164-168
Courier	137-138	Lancia	209
Delaunay-Belleville	210	Lozier	185-186
Dorris	103-104	McIntyre	261
E - M - F	39	Mack Truck	195-198
Elmore	253-255	Marion	235-237
Everitt	31-33	Marmon	182-184
Ewing Taxicab	245	Matheson	179-181
Flanders	40	Maxwell	175-178
Franklin	58-61	Mercedes	264-265

INDEX OF TRADE NAMES—Continued

	PAGES		PAGES
Mercer	187-189	Rainier	267
Midland	72-73	Randolph Truck	16
Mitchell	93-95	Rapid Commercial Cars	221
Moline	119-120	Regal	252
Moon	122-123	Reliance Truck	222
Morgan	262	Reo	20-24
National	248-251	Royal Tourist	269-271
Oakland	228	Sampson Truck	218
Ohio	54-57	Selden	224-227
Oldsmobile	46-53	Simplex	25-26
Overland	229-234	Speedwell	121
Packard	17-19	Stearns	62-63
Palmer-Singer	27-30	Stevens-Duryea	110-118
Peerless	154-161	Stoddard-Dayton	133-136
Pierce-Arrow	144-153	Studebaker	246-247
Pope-Hartford	64-70	Thomas	203-208
Premier	216-217	White	128-132
Pullman	139-141	Winton	126-127

A.L.A.M. HORSE-POWER RATING

The formula adopted is $\frac{D^2 \times N}{2.5}$. D is the cylinder bore in inches, N the number of cylinders, and 2.5 a constant, based on the average view of the A.L.A.M. engineers as to a fair conservative rating for a four-cycle motor at one thousand feet per minute piston speed.

**TABLE OF HORSE-POWER FOR USUAL SIZES OF MOTORS,
BASED ON A.L.A.M. FORMULA**

BORE		HORSEPOWER			
INS.	M/M	1 CYL.	2 CYLS.	4 CYLS.	6 CYLS.
2 $\frac{1}{2}$	64	2 $\frac{1}{2}$	5	10	15
2 $\frac{5}{8}$	68	2 $\frac{3}{4}$	5 $\frac{1}{2}$	11	16 $\frac{1}{2}$
2 $\frac{3}{4}$	70	3	6	12 $\frac{1}{10}$	18 $\frac{1}{4}$
2 $\frac{7}{8}$	73	3 $\frac{5}{16}$	6 $\frac{5}{8}$	13 $\frac{1}{4}$	19 $\frac{1}{8}$
3	76	3 $\frac{3}{8}$	7 $\frac{1}{5}$	14 $\frac{3}{8}$	21 $\frac{3}{4}$
3 $\frac{1}{8}$	79	3 $\frac{1}{2}$	7 $\frac{1}{16}$	15 $\frac{3}{8}$	23 $\frac{7}{8}$
3 $\frac{1}{4}$	83	4 $\frac{1}{4}$	8 $\frac{1}{8}$	16 $\frac{9}{10}$	25 $\frac{1}{2}$
3 $\frac{3}{8}$	85	4 $\frac{9}{16}$	9 $\frac{1}{8}$	18 $\frac{1}{4}$	27 $\frac{1}{2}$
3 $\frac{1}{2}$	89	4 $\frac{9}{10}$	9 $\frac{1}{5}$	19 $\frac{3}{10}$	29 $\frac{3}{5}$
3 $\frac{5}{8}$	92	5 $\frac{1}{4}$	10 $\frac{1}{2}$	20 $\frac{1}{4}$	31 $\frac{1}{4}$
3 $\frac{3}{4}$	95	5 $\frac{3}{8}$	11 $\frac{1}{4}$	22 $\frac{1}{2}$	33 $\frac{1}{2}$
3 $\frac{7}{8}$	99	6	12	24	36 $\frac{1}{6}$
4	102	6 $\frac{2}{5}$	12 $\frac{4}{5}$	25 $\frac{3}{5}$	38 $\frac{2}{5}$
4 $\frac{1}{8}$	105	6 $\frac{1}{3}$	13 $\frac{2}{3}$	27 $\frac{1}{4}$	40 $\frac{9}{10}$
4 $\frac{1}{4}$	108	7 $\frac{1}{4}$	14 $\frac{1}{2}$	28 $\frac{9}{10}$	43 $\frac{1}{4}$
4 $\frac{3}{8}$	111	7 $\frac{3}{8}$	15 $\frac{3}{16}$	30 $\frac{3}{8}$	45 $\frac{1}{8}$
4 $\frac{1}{2}$	114	8 $\frac{1}{10}$	16 $\frac{1}{5}$	32 $\frac{2}{5}$	48 $\frac{2}{5}$
4 $\frac{5}{8}$	118	8 $\frac{9}{16}$	17 $\frac{1}{8}$	34 $\frac{1}{4}$	51 $\frac{1}{2}$
4 $\frac{3}{4}$	121	9	18	36 $\frac{1}{10}$	54 $\frac{1}{10}$
4 $\frac{7}{8}$	124	9 $\frac{1}{2}$	19	38	57 $\frac{1}{10}$
5	127	10	20	40	60
5 $\frac{1}{8}$	130	10 $\frac{1}{2}$	21	42	63
5 $\frac{1}{4}$	133	11	22	44 $\frac{1}{10}$	66 $\frac{1}{4}$
5 $\frac{3}{8}$	137	11 $\frac{9}{16}$	23	46	69 $\frac{1}{10}$
5 $\frac{1}{2}$	140	12 $\frac{1}{10}$	24 $\frac{1}{5}$	48 $\frac{2}{5}$	72 $\frac{2}{5}$
5 $\frac{5}{8}$	143	12 $\frac{3}{8}$	25 $\frac{3}{16}$	50 $\frac{3}{8}$	75 $\frac{3}{8}$
5 $\frac{3}{4}$	146	13 $\frac{1}{4}$	26 $\frac{1}{2}$	53	79 $\frac{1}{2}$
5 $\frac{7}{8}$	149	13 $\frac{3}{8}$	27 $\frac{3}{8}$	55 $\frac{1}{4}$	82 $\frac{1}{10}$
6	152	14 $\frac{2}{5}$	28 $\frac{2}{5}$	57 $\frac{2}{5}$	86 $\frac{2}{5}$


To simplify reading of the above, the horse-power figures are approximate, but correct within one-sixteenth.

ILLUSTRATIONS AND SPECIFICATIONS

**FLANDRAU
MOTOR CAR
COMPANY**

*406 Broome Street
New York City*

PRICE
Chassis - \$4650
with five lamps and
brackets



MODEL: BRASIER 35 HORSE-POWER

SEATING CAPACITY Seven persons.

CLUTCH Multiple disc.

WHEEL-BASE . . . Long, 121 inches;
short, 112 inches.

GAUGE 55 inches.

TIRE DIMENSIONS,

FRONT 880 mm x 120 mm.

REAR 880 mm x 120 mm.

BRAKE SYSTEMS . Contracting on
driving shaft and
expanding on
both rear wheels.

HORSE-POWER . . (A.L.A.M. rating)
35.6.

CYLINDERS Four.

ARRANGED Vertically, under
hood.

CAST In pairs.

BORE 120 mm.

STROKE 130 mm.

COOLING Water.

RADIATOR Tubular.

IGNITION Jump spark.

ELECTRIC SOURCE High tension
magneto.

DRIVE Double side chain
or shaft.


TRANSMISSION . Selective gear.

GEAR CHANGES . Four forward,
one reverse.

RANDOLPH MOTOR CAR COMPANY

175 East Randolph
St., Chicago, Ill.

PRICE
Chassis - \$1850




MODEL: RANDOLPH ONE-TON TRUCK C-2

COLOR	Lead.	ARRANGED	Horizontally opposed, under foot boards.
CARR'G CAPACITY	One ton.	CAST	Separately.
CLUTCH	Cone.	BORE	5¼ inches.
WHEEL-BASE	96½ inches.	STROKE	4¾ inches.
GAUGE	58 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 3 inches (Solid).	IGNITION	Jump spark.
REAR	36 x 3½ inches (Solid).	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS	Contracting on jack-shaft and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER	(A.L.A.M. rating) 22.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Two.	GEAR CHANGES	Three forward, one reverse.

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . . \$4200
With Close-Coupled
Body . . . \$4200
Phaeton . . . \$4200
Runabout . . . \$4200
Limousine . . . \$5450
Fore-Door Limou-
sine . . . \$5650
Landaulet . . . \$5550
Fore-Door Landau-
let . . . \$5750
Coupe . . . \$4900



MODEL: 1911 PACKARD "30" TOURING CAR

COLOR Body, Packard
 blue, striped with
 Packard gray;
 under body,
 black; running
 gear, Packard
 gray, striped with
 black.

SEATING CAPACITY Seven persons.

CLUTCH Packard dry
 plate.

WHEEL-BASE . . . 123½ inches.

GAUGE 56½ inches.

TIRE DIMENSIONS,
FRONT 36 x 4½ inches.
REAR 36 x 4½ inches.

BRAKE SYSTEMS . Contracting and
 expanding on both
 rear wheels.

HORSE-POWER . . 30.

CYLINDERS . . . Four.

ARRANGED . . . Vertically, under
 hood.

CAST In pairs.

BORE 5 inches.

STROKE 5½ inches.

COOLING Water.

RADIATOR Cellular.

IGNITION Jump Spark.

ELECTRIC SOURCE Low tension mag-
 neto and storage
 battery.


DRIVE Shaft.

TRANSMISSION . Progressive slid-
 ing gear.

GEAR CHANGES . Three forward,
 one reverse.

**PACKARD
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE - - \$3200
With Close-Coupled
Body - - \$3200
Runabout - \$3200
Limousine \$4400
Fore-Door Limou-
sine - - \$4600
Landaulet - \$4500
Fore-Door Landau-
let - - \$4700
Coupe - - \$3900



MODEL: 1911 PACKARD "18" OPEN CAR


COLOR	Body, Packard blue, striped with Packard gray; under body, black; running gear, Packard gray, striped with black.	CYLINDERS	Four.
SEATING CAPACITY	Five persons.	ARRANGED	Vertically, under hood.
CLUTCH	Packard dry plate.	CAST	In pairs.
WHEEL-BASE . . .	112 inches.	BORE	4 1-16 inches.
GAUGE	56½ inches.	STROKE	5½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR	Cellular.
REAR	34 x 4 inches.	IGNITION	Jump Spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	Low tension magneto and storage battery.
HORSE-POWER . .	18.	DRIVE	Shaft.
		TRANSMISSION . .	Progressive sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**PACKARD
MOTOR CAR
COMPANY**

Detroit, Mich.

PRICE

Chassis . \$3400
Standard Platform
Body . . . \$180




MODEL: PACKARD THREE-TON TRUCK

COLOR	Body, Packard blue, striped with Packard gray; under body, black; running gear, Packard gray, striped with black.	HORSE-POWER . . .	24.
CARR'G CAPACITY	6,000 pounds.	CYLINDERS	Four.
CLUTCH	Packard dry plate.	ARRANGED	Vertically, under hood.
WHEEL-BASE . . .	144 inches.	CAST	In pairs.
GAUGE	68 inches.	BORE	4½ inches.
TIRE DIMENSIONS,		STROKE	5¼ inches.
FRONT	34 x 4 inches (single solid).	COOLING	Water.
REAR	36 x 4 inches (dual solid)	RADIATOR	Cellular.
BRAKE SYSTEMS .	Expanding on counter-shaft and both rear wheels.	IGNITION	Jump Spark.
		ELECTRIC SOURCE	Low tension magneto and storage battery.
		DRIVE	Double side chain.
		TRANSMISSION . .	Progressive sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**REO MOTOR
CAR COMPANY**
Lansing. Mich.

PRICE - - \$1250
With Top and Side
Curtains - \$1325




MODEL: REO "THIRTY" FIVE-PASSENGER TOURING CAR

COLOR	Body, black; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	108 inches.	STROKE	4½ inches.
GAUGE	56 and 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**REO MOTOR
CAR COMPANY**
Lansing, Mich.

PRICE . . . \$1250
With Front Seat Top
\$1300
With Full Length Top
\$1325




MODEL: REO "30" ROADSTER

COLOR	Body, black; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	108 inches.	STROKE	4½ inches.
GAUGE	56 and 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**REO MOTOR
CAR COMPANY**
Lansing, Mich.

PRICE - - \$850
With Top and
Windshield - \$925




MODEL: REO "K" RUNABOUT

COLOR	Body, black; running gear, yellow.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	3¾ inches.
WHEEL-BASE . . .	98 inches.	STROKE	4¼ inches.
GAUGE	56 and 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 22.5.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Two forward, one reverse.

**REO MOTOR
CAR COMPANY**
Lansing, Mich.

PRICE - - \$750
With Top - \$800




MODEL: REO "H" POWER WAGON

COLOR	Body, green; running gear, red.	ARRANGED	Horizontally, under seat.
CARR'G CAPACITY	1500 pounds.	BORE	4 $\frac{3}{4}$ inches.
CLUTCH	Multiple disc.	STROKE	6 inches.
WHEEL-BASE	90 inches.	COOLING	Water.
GAUGE	56 and 60 inches.	RADIATOR	Tubular.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	36 x 2 inches.	ELECTRIC SOURCE	Dry batteries.
REAR	36 x 2 $\frac{1}{2}$ inches.	DRIVE	Double side chain.
BRAKE SYSTEMS . .	Contracting on jack shaft and on both rear wheels.	TRANSMISSION . .	Planetary.
HORSE-POWER . . .	(A.L.A.M. rating) 9.	GEAR CHANGES .	Two forward, one reverse.
CYLINDERS	One.		

**REO MOTOR
CAR COMPANY**
Lansing, Mich.

PRICE - - \$600




MODEL: REO "J" POWER WAGON

COLOR	Body, green; running gear, red.	ARRANGED	Horizontally, under seat.
CARR'G CAPACITY	500 pounds.	BORE	4¾ inches.
CLUTCH	Multiple disc.	STROKE	6 inches.
WHEEL-BASE . . .	78 inches.	COOLING	Water.
GAUGE	56 and 60 inches.	RADIATOR	Tubular.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	28 x 3 inches.	ELECTRIC SOURCE	Dry batteries.
REAR	28 x 3 inches.	DRIVE	Direct single chain.
BRAKE SYSTEMS .	Contracting on motor and both rear wheels.	TRANSMISSION .	Planetary.
HORSE-POWER . .	(A.L.A.M. rating) 9.	GEAR CHANGES .	Two forward, one reverse.
CYLINDERS	One.		

**S I M P L E X
A U T O M O B I L E
C O M P A N Y**
1862 Broadway,
New York City

PRICE
Chassis - \$4200




MODEL: 30 HORSE-POWER

CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . .	124 and 129 inches.	BORE	5¾ inches.
GAUGE	56 inches.	STROKE	5¾ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	36 x 4 inches.	RADIATOR	Honeycomb.
REAR	36 x 5 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting on shaft and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER . .	(A.L.A.M. rating) 53.	DRIVE	Double chain.
CYLINDERS . . .	Four.	TRANSMISSION .	Selective sliding gear.
ARRANGED . . .	Vertically, under hood,	GEAR CHANGES .	Four forward, one reverse.

S I M P L E X A U T O M O B I L E C O M P A N Y

**1862 Broadway,
New York City**

PRICE
Chassis - \$5000




MODEL: 90 HORSE-POWER

CLUTCH	Multiple Disc.	CAST	In pairs.
WHEEL-BASE	124 inches.	BORE	6 1-10 inches.
GAUGE	56 inches.	STROKE	5¾ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR	Honeycomb.
REAR	34 x 5 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS	Contracting on shaft and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER	(A.L.A.M. rating) 59.5.	DRIVE	Double chain.
CYLINDERS	Four.	TRANSMISSION	Selective sliding gear.
ARRANGED	Vertically, under hood.	GEAR CHANGES	Four forward, one reverse.

**PALMER &
SINGER MFG.
C O M P A N Y**
*Long Island City,
N. Y.*

PRICE . . \$4200
With Cape Top
\$4375
Five Passenger
Gunboat - \$4200
Five Passenger
Touring- - \$4000
Two Passenger
Runabout - \$4000
Limousine- \$5200
Landaulet - \$5300



MODEL: PALMER-SINGER LXIV

COLOR	Blue and yellow. Or Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 $\frac{7}{8}$ inches.
WHEEL-BASE . . .	138 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 57.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**PALMER &
SINGER MFG.
C O M P A N Y**

*Long Island City,
N. Y.*

**PRICE . . \$3500
With Cape Top
\$3665**


**Seven Passenger
Touring- - \$3900**

**Five Passenger
Gunboat - \$3900**

**Two Passenger Run-
about - - \$3500**

Limousine \$4900

Landaulet - \$5000



MODEL: PALMER-SINGER 4/30

COLOR Blue and yellow.
Or Brewster
green.

SEATING CAPACITY Five persons.

CLUTCH Multiple disc.

WHEEL-BASE . . . 129 inches.

GAUGE 56 inches.

TIRE DIMENSIONS,

FRONT 36 x 4 inches.

REAR 36 x 5 inches.

BRAKE SYSTEMS . Contracting and
expanding on both
rear wheels.

HORSE-POWER . . (A.L.A.M. rating)
48.4.

CYLINDERS . . . Four.

ARRANGED . . . Vertically, under
hood.

CAST In pairs.

BORE 5½ inches.

STROKE 5¼ inches.

COOLING Water.

RADIATOR Honeycomb.

IGNITION Jump spark.

ELECTRIC SOURCE High tension
magneto and dry
batteries.


DRIVE Shaft.

TRANSMISSION . Selective sliding
gear.

GEAR CHANGES . Four forward,
one reverse.

**PALMER &
SINGER MFG.
C O M P A N Y**
*Long Island City,
N. Y.*

PRICE . . \$3300
With Cape Top
\$3465
Two Passenger Run-
about . . \$3300




MODEL: PALMER-SINGER 6/40

COLOR	Blue and yellow. Or Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc, of 3 each.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	125 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 38.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**PALMER &
SINGER MFG.
C O M P A N Y**
*Long Island City,
N. Y.*

PRICE . . \$3650
Limousine \$3650
Landaulet \$3750




MODEL: PALMER-SINGER TOWN CAR

COLOR	Blue and yellow. Or Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE	120 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 28.9.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**METZGER
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$1750




MODEL: "EVERITT 30" INSIDE DRIVEN COUPE

COLOR	Royal blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE	110 inches.	STROKE	4¾ inches.
GAUGE	56 and 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Low tension mag- neto.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 25.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward. one reverse.

**METZGER
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$1400
With Cape Top
and Windshield
\$1500




MODEL: "EVERITT 30" CLOSE-COUPLED FORE DOOR

COLOR	Royal blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	4-inches.
WHEEL-BASE . . .	110 inches.	STROKE	4¾ inches.
GAUGE	56 and 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 3¼ inches.	IGNITION	Jump spark.
REAR	34 x 3¼ inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**METZGER
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$1350
Standard Touring
Car . . . \$1350
With Cape Top
and Windshield
\$1400




MODEL: "EVERITT" DEMI-TONNEAU

COLOR	Royal blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE	110 inches.	STROKE	4 3/4 inches.
GAUGE	56 and 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 3 1/2 inches.	IGNITION	Jump spark.
REAR	34 x 3 1/2 inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 25.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**METZGER
MOTOR CAR
COMPANY**

Detroit, Mich.

PRICE
Chassis - \$2750
Platform body \$250




MODEL: HEWITT 2-TON TRUCK

COLOR	Lead.	ARRANGED	Horizontally, under foot-boards.
CARR'G CAPACITY	Two tons.	CAST	Separately.
CLUTCH	Cone.	BORE	5 ½ inches.
WHEEL-BASE	112 inches.	STROKE	5 inches.
GAUGE	60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 3 ½ inches (dual blocks).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS . .	Contracting on differential and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	(A.L.A.M. rating) 24.	TRANSMISSION . .	Planetary.
CYLINDERS	Two.	GEAR CHANGES .	Two forward, one reverse.

**METZGER
MOTOR CAR
COMPANY**

Detroit, Mich.

PRICE
Chassis - \$5500
Platform body \$300




MODEL: HEWITT 7-TON TRUCK

COLOR	Lead.	ARRANGED	Horizontally, under foot-boards.
CARR'G CAPACITY	Seven tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE	142½ inches.	STROKE	6 inches.
GAUGE	66 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 5 inches (dual blocks).	IGNITION	Jump spark.
REAR	36 x 6 inches (dual blocks).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS	Contracting on differential and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER	(A.L.A.M. rating) 28.9.	TRANSMISSION	Planetary.
CYLINDERS	Four.	GEAR CHANGES	Two forward, one reverse.

**AMERICAN
MOTOR CAR
COMPANY**

Indianapolis, Ind.

PRICE . . \$4250
(with equipment)
Traveler Coupe
\$5250




MODEL: AMERICAN TRAVELER

COLOR	Optional.	CAST	In pairs.
SEATING CAPACITY	Five persons.	BORE	5 $\frac{3}{8}$ inches.
CLUTCH	Cone.	STROKE	5 $\frac{1}{2}$ inches.
WHEEL-BASE . . .	124 inches.	COOLING	Water.
GAUGE	56 inches.	RADIATOR	Cellular.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	40 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
REAR	40 x 4 inches.	DRIVE	Shaft.
BRAKE SYSTEMS .	Expanding on both rear wheels.	TRANSMISSION . .	Selective sliding gear.
HORSE-POWER . .	(A.L.A.M. rating) 46.	GEAR CHANGES .	Four forward, one reverse.
CYLINDERS . . .	Four.		
ARRANGED	Vertically, under hood.		

**AMERICAN
MOTOR CAR
COMPANY**

Indianapolis, Ind.

PRICE . . \$4250
(with equipment)
Limousine \$5250




MODEL: AMERICAN TOURIST

COLOR	Optional.	CAST	In pairs.
SEATING CAPACITY	Seven persons.	BORE	5 $\frac{3}{8}$ inches.
CLUTCH	Cone.	STROKE	5 $\frac{1}{2}$ inches.
WHEEL-BASE . . .	124 inches.	COOLING	Water.
GAUGE	56 inches.	RADIATOR	Cellular.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
REAR	36 x 5 inches.	DRIVE	Shaft.
BRAKE SYSTEMS .	Expanding on both rear wheels.	TRANSMISSION .	Selective sliding gear.
HORSE-POWER . .	(A.L.A.M. rating) 46.	GEAR CHANGES .	Four forward, one reverse.
CYLINDERS . . .	Four.		
ARRANGED . . .	Vertically, under hood.		

**AMERICAN
MOTOR CAR
COMPANY**

Indianapolis, Ind.

**PRICE . . \$4250
(with equipment)
Roadster Coupe
\$5250**




MODEL: AMERICAN ROADSTER

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 $\frac{3}{8}$ inches.
WHEEL-BASE	112 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular
FRONT	40 x 4 inches.	IGNITION	Jump spark.
REAR	40 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 46.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Four forward, one reverse.

**THE E-M-F
COMPANY**
Detroit, Mich.

PRICE - - \$1000
Roadster - - \$1000
Demi-Tonneau
\$1000
Coupe - - \$1450




MODEL: E-M-F "30"

COLOR	Body, blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	108 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE E-M-F
COMPANY**
Detroit, Mich.

PRICE - - \$700
Runabout - - \$700
Suburban - - \$725
Coupe - - \$975




MODEL: FLANDERS "20" "S"

COLOR	Body, blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	3 $\frac{3}{4}$ inches.
WHEEL-BASE . . .	100 inches.	STROKE	3 $\frac{1}{4}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	32 x 3 inches.	IGNITION	Jump spark.
REAR	32 x 3 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Double expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 20.2.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Two forward, one reverse.

**HUPP MOTOR
CAR COMPANY**
Detroit, Mich.

PRICE . . \$750
With Top . \$780
Torpedo . \$850
Touring . \$900
Coupe . \$1100




MODEL: HUPMOBILE

COLOR	Blue body, gray gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	3¼ inches.
WHEEL-BASE . . .	86 inches.	STROKE	3⅝ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	30 x 3 inches.	IGNITION	Jump Spark.
REAR	30 x 3 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Internal expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 16.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Two forward, one reverse.

**HUDSON
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE - - \$1350
With Top, Magneto,
and Prest-O-Lite
Gas Tank - \$1500




MODEL: HUDSON "33" TORPEDO

COLOR	Body, blue; running gear, gray.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	114 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Vertical tube.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Dry batteries (magneto extra).
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**HUDSON
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE - - \$1350
With Top, Magneto,
and Prest-O-Lite
Gas Tank - \$1450




MODEL: HUDSON "33" PONY TONNEAU

COLOR	Body, blue; running gear, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	114 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Dry batteries (magneto extra).
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 25.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**HUDSON
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$1250
With Top, Magneto,
and Prest-O-Lite
Gas Tank, - \$1400




MODEL: HUDSON "33" TOURING CAR

COLOR	Body, blue; running gear, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	114 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Dry batteries (magneto extra).
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**HUDSON
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE - - \$1000
With Top, Magneto,
and Prest-O-Lite
Gas Tank - \$1150




MODEL: HUDSON "20" ROADSTER

COLOR	Body, blue; running gear, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons (also four).	CAST	En bloc.
CLUTCH	Cone.	BORE	3¾ inches.
WHEEL-BASE . . .	100 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	Dry batteries (magneto extra).
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 22.5.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

O L D S
MOTOR WORKS
Lansing, Mich.

PRICE - - \$3000
Roadster - \$3000
Close Coupled
\$3000
Limousine \$4200




MODEL: OLDSMOBILE "SPECIAL" TOURING CAR

COLOR	Brewster green or cardinal red, or royal blue body and cream running gear.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 3/4 inches.
WHEEL-BASE . .	118 inches.	STROKE	4 3/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

O L D S
MOTOR WORKS
Lansing, Mich.

PRICE - - \$3000
 (With Mohair Cape
 Top and Windshield)
Touring - \$3000
Close Coupled
\$3000
Limousine \$4200




MODEL: OLDSMOBILE "SPECIAL" ROADSTER

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	118 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

O L D S **MOTOR WORKS**

Lansing, Mich.

PRICE - - \$4200
Touring - - \$3000
Roadster - \$3000
Close Coupled
\$3000




MODEL: OLDSMOBILE "SPECIAL" LIMOUSINE

COLOR	Brewster green or cardinal red, or royal blue body and cream running gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	118 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

O L D S **MOTOR WORKS**

Lansing, Mich.

PRICE - - \$3500
With Mohair Cape
Top . . . \$3625
Five Passenger
Touring - - \$3500
Roadster - \$3500
Tourabout- \$3500
Limousine \$5000



MODEL: OLDSMOBILE AUTOCRAT TOURING CAR


COLOR	Brewster green or cardinal red, or royal blue body and cream running gear.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . .	124 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Cellular.
FRONT	38 x 4½ inches.	IGNITION . . .	Jump spark.
REAR	38 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES	Four forward, one reverse.

O L D S MOTOR WORKS

Lansing, Mich

**PRICE . . \$3600
With Cape Top
\$3625**

**Seven Passenger
Touring- - \$3500
Roadster - \$3500
Tourabout- \$3500
Limousine \$5000**




MODEL: OLDSMOBILE AUTOCRAT FIVE PASSENGER TOURING CAR

COLOR	Brewster green or cardinal red, or royal blue body and cream running gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	124 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	38 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	38 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

O L D S MOTOR WORKS

Lansing, Mich.

PRICE . . \$3500
With Mohair Cape
Top . . . \$3600
Seven Passenger
Touring- . \$3500
Five Passenger
Touring- . \$3500
Tourabout- \$3500
Limousine \$5000




MODEL: OLDSMOBILE AUTOCRAT ROADSTER

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Three persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	124 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	38 x 4¼ inches.	IGNITION	Jump spark.
REAR	38 x 4¼ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

O L D S MOTOR WORKS

Lansing, Mich.

PRICE . . \$3500
With Mohair Cape
Top . . . \$3625
Seven Passenger
Touring- . \$3500
Five Passenger
Touring- . \$3500
Roadster . \$3500
Limousine \$5000




MODEL: OLDSMOBILE AUTOCRAT TOURABOUT

COLOR	Brewster green or cardinal red, or royal blue body and cream running gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORN	5 inches.
WHEEL-BASE . . .	124 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	38 x 4½ inches.	IGNITION	Jump spark.
REAR	38 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

O L D S
MOTOR WORKS
Lansing, Mich.

PRICE - - \$5000
Five Passenger
Touring - - \$5000
Roadster - - \$5000
Tourabout - \$5000
Limousine \$7000




MODEL: OLDSMOBILE LIMITED TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	138 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	42 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	42 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 60.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**OHIO MOTOR
CAR COMPANY**
Cincinnati, Ohio

PRICE - - \$2150




MODEL: OHIO ROADSTER

COLOR	Tallyho red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Three persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	115 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**OHIO MOTOR
CAR COMPANY**
Cincinnati, Ohio

PRICE - - \$2450




MODEL: OHIO TORPEDO

COLOR	Battleship gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE	115 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 32.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**OHIO MOTOR
CAR COMPANY**
Cincinnati, Ohio

PRICE . . \$2150




MODEL: OHIO CLOSE-COUPLED TONNEAU

COLOR	Body, French carmine; running gear, Coaching red.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . .	115 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**OHIO MOTOR
CAR COMPANY**
Cincinnati, Ohio

PRICE . . \$2150




MODEL: OHIO TOURING CAR

COLOR	Body, French carmine; running gear, Coaching red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	115 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**H. H. FRANKLIN
MFG. COMPANY**
Syracuse, N. Y.

PRICE . . \$4500
Double Torpedo
Phaeton \$4500




MODEL: FRANKLIN H OPEN BODY TOURING CAR

COLOR	Body, royal blue with black guards.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	133 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Air.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto.
REAR	38 x 5½ inches.	DRIVE	Shaft.
BRAKE SYSTEMS .	Contracting on propeller-shaft and both rear wheels.	TRANSMISSION .	Selective sliding gear.
HORSE-POWER . .	(A.L.A.M. rating) 48.	GEAR CHANGES .	Three forward, one reverse.
CYLINDERS . . .	Six.		

H. H. FRANKLIN
MFG. COMPANY
Syracuse, N. Y.

PRICE . . \$3500
Double Torpedo
Phaeton \$3500
Limousine \$4400
Landulet \$4400




MODEL: FRANKLIN D OPEN BODY TOURING CAR

COLOR	Body, royal blue, black guards.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	123 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Air.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	36 x 4½ inches.	ELECTRIC SOURCE	High tension mag- neto.
REAR	37 x 5 inches.	DRIVE	Shaft.
BRAKE SYSTEMS .	Contracting on propeller-shaft and both rear wheels.	TRANSMISSION .	Selective sliding gear.
HORSE-POWER . .	(A.L.A.M. rating) 38.	GEAR CHANGES .	Three forward, one reverse.
CYLINDERS . . .	Six.		

**H. H. FRANKLIN
MFG. COMPANY**
Syracuse, N. Y.

PRICE - - \$2700
Limousine \$3500
Landaulet \$3500




MODEL: FRANKLIN M OPEN BODY TOURING CAR

COLOR	Body, royal blue with black guards.	ARRANGED	Vertically under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	108 inches.	STROKE	4 inches.
GAUGE	53½ inches.	COOLING	Air.
TIRE DIMENSIONS,		IGNITION	Jump Spark.
FRONT	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
REAR	34 x 4½ inches.	DRIVE	Shaft.
BRAKE SYSTEMS . .	Contracting on propeller-shaft and both rear wheels.	TRANSMISSION . .	Selective sliding gear.
HORSE-POWER . . .	(A.L.A.M. rating) 25.	GEAR CHANGES .	Three forward, one reverse.
CYLINDERS	Four.		

**H. H. FRANKLIN
MFG. COMPANY**
Syracuse, N. Y.

PRICE . . \$1950
Single Torpedo
Phaeton . . \$1950




MODEL: FRANKLIN G OPEN BODY TOURING CAR

COLOR	Body, royal blue with black guards.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	3½ inches.
WHEEL-BASE . .	100 inches.	STROKE	4 inches.
GAUGE	53½ inches.	COOLING	Air.
TIRE DIMENSIONS,		IGNITION	Jump spark.
FRONT	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto.
REAR	32 x 4 inches.	DRIVE	Shaft.
BRAKE SYSTEMS .	Contracting on propeller-shaft and both rear wheels.	TRANSMISSION .	Selective sliding gear.
HORSE-POWER . .	(A.L.A.M. rating) 18.	GEAR CHANGES .	Three forward, one reverse.
CYLINDERS . . .	Four.		

**THE
F. B. STEARNS
C O M P A N Y**
Cleveland, Ohio

PRICE . . \$3200
Toy Tonneau \$3200
Limousine \$4600
Landulet - \$4600
(with equipment)




MODEL: STEARNS 15-30 H. P. VESTIBULE TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Dry multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	116 inches.	STROKE	4¾ inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE
F. B. STEARNS
COMPANY**
Cleveland, Ohio

PRICE - - \$4600
Touring Car \$4600
Limousine \$5750
Landaulet - \$5750
(with equipment)




MODEL: STEARNS 30-60 H.P. TOY TONNEAU RUNABOUT

COLOR	Optional.	CYLINDERS	Four.
SEATING CAPACITY	Four persons.	ARRANGED	Vertically, under hood.
CLUTCH	Dry multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	121 inches.	BORE	5½ inches.
GAUGE	56½ inches.	STROKE	5½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	36 x 4 inches.	RADIATOR	Cellular.
REAR	36 x 4½ inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Chain drive: contracting on differential and expanding on both rear wheels. Shaft drive: contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and dry batteries.
HORSE-POWER . .	(A.L.A.M. rating) 46.2.	DRIVE	Double side chain or shaft.
		TRANSMISSION .	Selective sliding gear.
		GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**

Hartford, Conn.

**PRICE - - \$3000
Seven Passenger
\$3250**




**MODEL: POPE-HARTFORD "W" FIVE-PASSENGER TOURING CAR WITH
FRONT DOOR**

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 $\frac{3}{4}$ inches.
WHEEL-BASE . . .	124 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	36 x 4 $\frac{1}{2}$ inches.	IGNITION	Jump spark.
REAR	36 x 4 $\frac{1}{2}$ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**
Hartford, Conn.

PRICE . . \$3000
Seven Passenger
\$3250




**MODEL: POPE-HARTFORD "W" FIVE-PASSENGER TOURING CAR WITH
OPEN FRONT**

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	124 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**
Hartford, Conn.

PRICE - - \$3000




MODEL: POPE-HARTFORD "W" PONY TONNEAU WITH FRONT DOOR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	124 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**
Hartford, Conn.

PRICE . . \$3000




MODEL: POPE-HARTFORD "W" PONY TONNEAU

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	124 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**
Hartford, Conn.

PRICE - - \$3000




MODEL: POPE-HARTFORD "W" ROADSTER

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 $\frac{3}{4}$ inches.
WHEEL-BASE . . .	124 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	36 x 4 $\frac{1}{2}$ inches.	IGNITION	Jump spark.
REAR	36 x 4 $\frac{1}{2}$ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**
Hartford, Conn.

PRICE . . \$4150
Landulet . \$4150




MODEL: POPE-HARTFORD "W" LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 $\frac{1}{4}$ inches.
WHEEL-BASE . . .	124 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	36 x 4 $\frac{1}{2}$ inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE POPE
MANUFACTUR-
ING COMPANY**
Hartford, Conn.

PRICE . . \$5000
(with standard
equipment)
Ambulance \$5000
Police Patrol
\$4500




**MODEL: POPE-HARTFORD "W" COMBINATION CHEMICAL AND HOSE
WAGON**

COLOR	Optional.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	136 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Planetic.
FRONT	38 x 5½ inches.	IGNITION	Jump spark.
REAR	39 x 6 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.
ARRANGED	Vertically, under hood.		

**APPERSON
BROTHERS
AUTOMOBILE
COMPANY**
Kokomo, Ind.

PRICE . . . \$2000
With Top . . . \$2100
Detachable Tonneau . . . \$2000
Fore-Door, fully equipped . . . \$2250




MODEL: APPERSON JACK-RABBIT FOUR-THIRTY

COLOR	Body, Apperson blue; running gear, cream or gray.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Contracting band.	BORE	4½ inches.
WHEEL-BASE . . .	114 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**M I D L A N D
M O T O R
C O M P A N Y**
Moline, Ill.

PRICE . . . \$2100
With Mobair Cape
Top . . . \$2190
Touring . . \$2100
Open Front Touring
\$2000
Toy Tonneau \$2000
Roadster . \$1950




MODEL: MIDLAND L-2 TOY TONNEAU

COLOR	Body and running gear, Brewster green; wheels green or straw.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 1/2 inches.
WHEEL-BASE . . .	115 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**MIDLAND
MOTOR
COMPANY**
Moline, Ill.

PRICE . . \$2250
With Mohair Cape
Top . . . \$2350
Touring . . \$2250




MODEL: MIDLAND "K" CLOSE-COUPLED

COLOR	Body and running gear, Midland coach blue; wheels, blue or straw.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 $\frac{3}{4}$ inches.
WHEEL-BASE . . .	118 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 36.1.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . . \$1700
With Cape Top
\$1795
Fore-Door Touring
\$1800




MODEL: CADILLAC 30 TOURING CAR

COLOR	Body, royal blue; wheels, light cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and Delco system.
BRAKE SYSTEMS	Contracting and expanding on rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 32.4.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four	GEAR CHANGES	Three forward, one reverse.

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . . \$1700
With ^{Cape} Top
\$1795




MODEL: CADILLAC 30 DEMI-TONNEAU

COLOR	Body, royal blue; wheels, light cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and Delco system.
BRAKE SYSTEMS .	Contracting and expanding on rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$1850
With Cape Top
\$1945
Fore-Door Touring
\$1800




MODEL: CADILLAC 30 TORPEDO

COLOR	Body, royal blue; wheels, light cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and Delco system.
BRAKE SYSTEMS .	Contracting and expanding on rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**CADILLAC
MOTOR CAR
COMPANY**
Detroit, Mich.

PRICE . . \$2250




MODEL: CADILLAC 30 COUPE

COLOR	Body, royal blue, and black combination; wheels, royal blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Three persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and Delco system.
BRAKE SYSTEMS	Contracting and expanding on rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 32.4.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**CADILLAC
MOTOR CAR
COMPANY**

Detroit, Mich.

PRICE . . \$3000




MODEL: CADILLAC 30 LIMOUSINE

COLOR	Body, royal blue, and black combination; wheels, royal blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and Delco system.
BRAKE SYSTEMS .	Contracting and expanding on rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

H A Y N E S
A U T O M O B I L E
C O M P A N Y
Kokomo, Ind.

PRICE . . \$2000
Fore-Door, Five
Passenger \$2100
Four Passenger,
Fore-Door Suburban
\$2100
Two Passenger
Roadster with doors
\$2000




MODEL: HAYNES-20

COLOR	Royal blue body and Battleship gray running gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Contracting band.	BORE	4¼ inches.
WHEEL-BASE . . .	116 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

H A Y N E S
A U T O M O B I L E
C O M P A N Y
Kokomo, Ind.

PRICE - - \$3000




MODEL: HAYNES-Y

COLOR	Black.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Contracting band.	BORE	5 inches.
WHEEL-BASE	125 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension mag- neto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 40.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**THE AUTOCAR
C O M P A N Y**
Ardmore, Pa.

PRICE . . \$2250
(with equipment)
Convertible Four
Door . . . \$2350



MODEL: "THE AUTOCAR" XXIV

COLOR	Gray body and wheels; black frame and hood.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 3/4 inches.
WHEEL-BASE . . .	117 inches.	STROKE	4 1/2 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 30.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE AUTOCAR
COMPANY**
Ardmore, Pa.

PRICE
Chassis - \$2150
Standard double
curved closed body
\$2350




MODEL: "THE AUTOCAR" XXI COMMERCIAL

COLOR	Optional.	ARRANGED	Horizontally, under seat.
CARR'G CAPACITY	3,000 pounds.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 1/4 inches.
WHEEL-BASE . . .	97 inches.	STROKE	4 1/2 inches.
GAUGE	58 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 3 1/2 inches (solid).	IGNITION	Jump spark.
REAR	34 x 4 inches (solid).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 18.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Two.	GEAR CHANGES .	Three forward, one reverse.

**THE AUTOCAR
C O M P A N Y**
Ardmore, Pa.

PRICE
Chassis - \$2150
Standard six post
open body - \$2300




MODEL: "THE AUTOCAR" XXI COMMERCIAL

COLOR	Optional.	ARRANGED	Horizontally, under seat.
CARR'G CAPACITY	3,000 pounds.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 1/4 inches.
WHEEL-BASE . . .	97 inches.	STROKE	4 1/2 inches.
GAUGE	58 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 3 1/2 inches (solid).	IGNITION	Jump spark.
REAR	34 x 4 inches (solid).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 18.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Two.	GEAR CHANGES .	Three forward one reverse.

**THE COLUMBIA
MOTOR CAR
COMPANY**
Hartford, Conn.

PRICE . . \$3300
With Cape Top
\$3450



MODEL: COLUMBIA FOUR-PASSENGER VESTIBULED ROADSTER, MARK 85

COLOR	Green, blue, green and gray, blue and gray, and Wedgewood green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 7/8 inches.
WHEEL-BASE . . .	120 inches.	STROKE	5 1/2 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 38.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.


**THE COLUMBIA
MOTOR CAR
COMPANY**

Hartford, Conn.

PRICE . . \$3400

With Cape Top

\$3550




MODEL: COLUMBIA SIX-PASSENGER VESTIBULED ROADSTER, MARK 85

COLOR	Green, blue, green and gray, blue and gray, and Wedgewood green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 $\frac{3}{8}$ inches.
WHEEL-BASE . . .	120 inches.	STROKE	5 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 38.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE COLUMBIA
MOTOR CAR
COMPANY**
Hartford, Conn.

PRICE . . \$3500
With Cape Top
\$3650




MODEL: COLUMBIA SEVEN-PASSENGER TOURING CAR, MARK 85

COLOR	Green, blue, green and gray, blue and gray, and Wedgewood green.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 1/4 inches.
WHEEL-BASE . .	120 inches.	STROKE	5 1/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 38.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse

**THE COLUMBIA
MOTOR CAR
COMPANY**
Hartford, Conn.

PRICE - - \$4800
Landaulet - \$4900




MODEL: COLUMBIA SEVEN-PASSENGER VESTIBULED LIMOUSINE, MARK 85

COLOR	Green, blue or maroon.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 7/8 inches.
WHEEL-BASE . . .	120 inches.	STROKE	5 1/2 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 38.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE COLUMBIA
MOTOR CAR
COMPANY**
Hartford, Conn.

PRICE . . \$2750
With Cape Top
\$2900
Seven Passenger
\$3000




MODEL: COLUMBIA FIVE-PASGR. VESTIBULED TOURING CAR, MARK 48-5

COLOR	Blue and cream, green and cream.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	115 inches.	STROKE	4¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark and make-and-break.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE CORBIN
MOTOR
VEHICLE
CORPORATION**

New Britain, Conn.

PRICE . . \$3050
Five-Passenger
Touring . . \$3000
Toy Tonneau \$3000
Torpedo . \$3100
Limousine \$4000
(with full
equipment)




MODEL: CORBIN "FORTY"

COLOR	Black with red or blue stripes; option black with gray running gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	120 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE CORBIN
MOTOR
VEHICLE
CORPORATION**

New Britain, Conn.

PRICE - - \$2750
(with full
equipment)



MODEL: CORBIN XVIII

COLOR Black, red
striping.
SEATING CAPACITY Five persons.

CLUTCH Cone.

WHEEL-BASE . . . 120 inches.

GAUGE 56 inches.

TIRE DIMENSIONS,

FRONT 34 x 4 inches.

REAR 34 x 4 inches.

BRAKE SYSTEMS . Contracting and
expanding on
both rear wheels.
HORSE-POWER . . (A.L.A.M. rating)
32.4.

CYLINDERS Four.

ARRANGED Vertically, under
hood.

CAST Separately.

BORE 4½ inches.

STROKE 4¼ inches.

COOLING Water.

RADIATOR Honeycomb.

IGNITION Jump spark.

ELECTRIC SOURCE High tension
magneto and dry
batteries.

DRIVE Shaft.


TRANSMISSION . . Selective sliding
gear.

GEAR CHANGES . Three forward,
one reverse.

**THE CORBIN
MOTOR
VEHICLE
CORPORATION**

New Britain, Conn.

**PRICE . . \$2000
With Mohair Cape
Top . . . \$2150**




MODEL: CORBIN "THIRTY"

COLOR	Black.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	115 inches.	STROKE	4¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE CORBIN
M O T O R
V E H I C L E
C O R P O R A T I O N**

New Britain, Conn.

PRICE . . \$4000




MODEL: FORTY LIMOUSINE

COLOR	Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	120 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	37 x 4½ inches.	IGNITION	Jump spark.
REAR	37 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**MITCHELL-
LEWIS
MOTOR CO.**

Racine, Wis.

PRICE - - \$2250




MODEL: MITCHELL "S"

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE . . .	130 inches.	STROKE	5 inches.
GAUGE	56 inches, optional 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 43.8.	TRANSMISSION . .	Selective gear.
CYLINDERS	Six.	GEAR CHANGES .	Three forward, one reverse.

**MITCHELL.
L E W I S
MOTOR CO.
*Racine, Wis.***

PRICE . . \$1500




MODEL: MITCHELL "T"

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE . . .	112 inches.	STROKE	5 inches.
GAUGE	56 inches, optional 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION . .	Selective gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**MITCHELL.
L E W I S
MOTOR CO.
Racine, Wis.**

PRICE . . \$1200




MODEL: MITCHELL "R"

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Three persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE . . .	100 inches.	STROKE	5 inches.
GAUGE	56 inches, op- tional 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**A M E R I C A N
L O C O M O T I V E
C O M P A N Y**

**1 8 8 6 Broadway
New York City**

**PRICE - - \$6000
(with equipment)**




MODEL: ALCO 60 HORSE-POWER TOURING

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	120 m/m.
WHEEL-BASE . . .	134 inches.	STROKE	140 m/m.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 53.5.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Four forward, one reverse.

AMERICAN LOCOMOTIVE COMPANY

1886 Broadway
New York City

PRICE . . \$6750




MODEL: ALCO 60 HORSE-POWER LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	120 m/m.
WHEEL-BASE . . .	134 inches.	STROKE	140 m/m.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 53.5.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Four forward, one reverse.

**AMERICAN
LOCOMOTIVE
COMPANY**

**1886 Broadway
New York City**

**PRICE . . \$4500
(with equipment)**




MODEL: ALCO 40 HORSE-POWER TOURING

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	130 m/m.
WHEEL-BASE . . .	126 inches.	STROKE	140 m/m.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 42.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**AMERICAN
LOCOMOTIVE
COMPANY**

**1886 Broadway
New York City**

**PRICE - - \$4500
(with equipment)**




MODEL: ALCO 40 HORSE-POWER TOY TONNEAU

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	130 m/m.
WHEEL-BASE	126 inches.	STROKE	140 m/m.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 42.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**AMERICAN
LOCOMOTIVE
COMPANY**
1886 Broadway
New York City

PRICE - - \$5500




MODEL: ALCO 40 HORSE-POWER LANDAULET

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	130 m/m.
WHEEL-BASE	126 inches.	STROKE	140 m/m.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 42.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Four forward, one reverse.

**AMERICAN
LOCOMOTIVE
COMPANY**

**1886 Broadway
New York City**

PRICE . . \$3350




MODEL: ALCO 16 HORSE-POWER CAB

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	100 m/m.
WHEEL-BASE . . .	104 inches.	STROKE	120 m/m.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	32 x 4 inches.	IGNITION	Jump spark.
REAR	32 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 24.8.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

AMERICAN LOCOMOTIVE COMPANY

1886 Broadway
New York City

PRICE - - \$3650
(with equipment)




MODEL: ALCO THREE-TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under foot-boards.
CARR'G CAPACITY	Three tons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	100 m/m.
WHEEL-BASE . . .	Optional (Standard 110 inches).	STROKE	120 m/m.
GAUGE	64½ inches front, 66 inches rear.	COOLING	Water. .
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 5 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches (dual).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 24.8.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**DORRIS MOTOR
CAR COMPANY**
St. Louis, Mo.

PRICE . . \$2500
(With Cape Top,
Windshield,
Demountable Rims,
etc.)




MODEL: DORRIS F TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 $\frac{3}{8}$ inches.
WHEEL-BASE . . .	115 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tubes.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	Magneto.
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 30.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**DORRIS MOTOR
CAR COMPANY**

St. Louis, Mo.

PRICE . . \$3600




MODEL: DORRIS F LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 $\frac{3}{8}$ inches.
WHEEL-BASE . . .	115 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tubes.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	Magneto.
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 30.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**CHALMERS
MOTOR
COMPANY**
Detroit, Mich.

PRICE . . \$1500
(without gas-lights,
tank, etc.)
**With half-Duquesne
Top . . \$1600**
**Coupe fully
equipped . \$2400**
Roadster . \$1500




MODEL: M CHALMERS "30" TOURING CAR

COLOR	Blue with gray striping. Or blue body, cream running gear. Or blue body, gray running gear.	CYLINDERS	Four.
SEATING CAPACITY	Five persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	En bloc.
WHEEL-BASE . . .	115 inches.	BORE	4 inches.
GAUGE	55 inches.	STROKE	4½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 3½ inches.	RADIATOR	Tubular.
REAR	34 x 3½ inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	ELECTRIC SOURCE	Storage battery (Magneto extra).
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	DRIVE	Shaft.
		TRANSMISSION . .	Selective sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**CHALMERS
MOTOR
COMPANY**
Detroit, Mich.

PRICE - - \$1600
(without gas-lights,
tank, etc.)
**With half-Duquesne
Top - - - \$1700**




MODEL: M CHALMERS "30" PONY TONNEAU

COLOR	Blue, gray strip- ing. Or blue body, cream run- ning gear. Or blue body, gray running gear.	CYLINDERS	Four.
SEATING CAPACITY	Four persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	En bloc.
WHEEL-BASE . . .	115 inches.	BORE	4 inches.
GAUGE	55 inches.	STROKE	4½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 3½ inches.	RADIATOR	Tubular.
REAR	34 x 3½ inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	ELECTRIC SOURCE	Storage battery (Magneto extra).
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	DRIVE	Shaft.
		TRANSMISSION . .	Selective sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**CHALMERS
MOTOR
COMPANY**
Detroit, Mich.

PRICE . . \$3000




MODEL: M CHALMERS "30" LIMOUSINE

COLOR	Blue.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . .	115 inches.	STROKE	4½ inches.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 3½ inches.	IGNITION	Jump Spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	Storage battery (Magneto extra).
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**CHALMERS
MOTOR
COMPANY**
Detroit, Mich.

PRICE . . \$3000
With special top
\$3125
Touring, fully
equipped . \$2750




MODEL: L CHALMERS "FORTY" TORPEDO

COLOR	Blue, gray strip- ing. Or gray, black striping.	CYLINDERS	Four.
SEATING CAPACITY	Four persons.	ARRANGED	Vertically, under hood.
CLUTCH	Cone.	CAST	In pairs.
WHEEL-BASE . . .	122 inches.	BORE	5 inches.
GAUGE	56 inches.	STROKE	4¾ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	36 x 4 inches.	RADIATOR	Cellular.
REAR	36 x 4 inches.	IGNITION	Jump Spark.
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
HORSE-POWER . .	(A.L.A.M. rating) 40.	DRIVE	Shaft.
		TRANSMISSION .	Selective sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**CHALMERS
MOTOR
COMPANY**
Detroit, Mich.

PRICE . . \$2750
With special top
\$2850




MODEL: L CHALMERS "FORTY" ROADSTER

COLOR	Blue, gray strip- ing. Or blue body, gray running gear. Or blue body, cream running gear.	CYLINDERS	Four.
SEATING CAPACITY	Three persons (also four).	ARRANGED	Vertically, under hood.
CLUTCH	Cone.	CAST	In pairs.
WHEEL-BASE . . .	122 inches.	BORE	5 inches.
GAUGE	56 inches.	STROKE	4¾ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	36 x 4 inches.	RADIATOR	Cellular.
REAR	36 x 4 inches.	IGNITION	Jump Spark.
BRAKE SYSTEMS .	Contracting on propeller-shaft and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
HORSE-POWER . .	(A.L.A.M. rating) 40.	DRIVE	Shaft.
		TRANSMISSION .	Selective sliding gear.
		GEAR CHANGES .	Three forward, one reverse.


**STEVENS -
DURYEA CO.**
*Chicopee Falls,
Massachusetts*

PRICE - - \$4000
With Cape Top
\$4150
Fore-Door Touring
\$4150



MODEL: STEVENS-DURYEA "Y" TOURING CAR

COLOR	Body and chassis, English purple lake, or Brewster green; or body, English purple lake or Brewster green; chassis, primrose yellow or vermillion.	CYLINDERS	Six.
SEATING CAPACITY	Seven persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	142 inches.	BORE	4¾ inches.
GAUGE	56 inches.	STROKE	4½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	36 x 4 inches.	RADIATOR	Cellular.
REAR	36 x 5 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and storage battery.
HORSE-POWER . .	(A.L.A.M. rating) 54.1.	DRIVE	Shaft.
		TRANSMISSION .	Progressive sliding gear.
		GEAR CHANGES .	Three forward, one reverse.




MODEL: STEVENS-DURYEA "Y" LIMOUSINE

COLOR	English purple lake or Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¾ inches.
WHEEL-BASE . . .	142 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 54.1.	TRANSMISSION . .	Progressive sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Three forward, one reverse.

**STEVENS -
DURYEA CO.**

*Chicopee Falls,
Massachusetts*

**PRICE . . \$3500
With Cape Top
\$3650
Fore-Door Hooded
Dash Touring
\$3500**




MODEL: STEVENS-DURYEA "AA" FORE-DOOR TOURING CAR

COLOR	Body and chassis, English purple lake or Brewster green; or body, English purple lake or Brewster green; chassis, primrose yellow or vermillion.	CYLINDERS	Six.
SEATING CAPACITY	Five persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	128 inches.	BORE	4¼ inches.
GAUGE	56 inches.	STROKE	4¾ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	36 x 4½ inches.	RADIATOR	Cellular.
REAR	36 x 4½ inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and storage battery.
HORSE-POWER . .	(A.L.A.M. rating) 43.8.	DRIVE	Shaft.
		TRANSMISSION .	Progressive sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**STEVENS -
DURYEA CO.**
*Chicopee Falls,
Massachusetts*

PRICE - - \$3600
With Cape Top
\$3750




MODEL: STEVENS-DURYEA "AA" TORPEDO

COLOR	Body, English purple lake; chassis, primrose yellow; or body and chassis, English purple lake or Brewster green; or body, English purple lake or Brewster green; chassis, vermillion.	HORSE-POWER . . .	(A.L.A.M. rating) 43.8.
		CYLINDERS	Six.
		ARRANGED	Vertically, under hood.
		CAST	In pairs.
		BORE	4 1/4 inches.
		STROKE	4 3/4 inches.
		COOLING	Water.
		RADIATOR	Cellular.
		IGNITION	Jump spark.
		ELECTRIC SOURCE	High tension magneto and storage battery.
SEATING CAPACITY	Five persons.	DRIVE	Shaft.
CLUTCH	Multiple disc.	TRANSMISSION . .	Progressive sliding gear.
WHEEL-BASE . . .	128 inches.	GEAR CHANGES .	Three forward, one reverse.
GAUGE	56 inches.		
TIRE DIMENSIONS,			
FRONT	36 x 4 1/2 inches.		
REAR	36 x 4 1/2 inches.		
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.		

**STEVENS -
DURYEA CO.**

*Chicopee Falls,
Massachusetts*

PRICE - - \$4600



MODEL: STEVENS-DURYEA "AA" LIMOUSINE

COLOR	English purple lake or Brew- ster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 1/4 inches.
WHEEL-BASE . . .	128 inches.	STROKE	4 1/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 4 1/4 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 43.8.	TRANSMISSION .	Progressive slid- ing gear.
CYLINDERS	Six.	GEAR CHANGES .	Three forward, one reverse.

**STEVENS -
DURYEA CO.**

*Chicopee Falls,
Massachusetts*

PRICE - - \$4800




MODEL: STEVENS-DURYEA "AA" LANDULET

COLOR	English purple lake or Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 1/4 inches.
WHEEL-BASE	128 inches.	STROKE	4 3/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 43.8.	TRANSMISSION	Progressive sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Three forward, one reverse

**STEVENS.
DURYEA CO.**
*Chicopee Falls,
Massachusetts*

PRICE - - \$3500
With Cape Top
\$3635




MODEL: STEVENS-DURYEA "AA" LIGHT TOURING ROADSTER

COLOR	Body, English purple lake; chassis, primrose yellow; or body and chassis, English purple lake or Brewster green; or body, English purple lake or Brewster green; chassis, vermillion.	HORSE-POWER . . . (A.L.A.M. rating)	43.8.
SEATING CAPACITY	Four persons.	CYLINDERS	Six.
CLUTCH	Multiple disc.	ARRANGED	Vertically, under hood.
WHEEL-BASE . . .	128 inches.	CAST	In pairs.
GAUGE	56 inches.	BORE	4¼ inches.
TIRE DIMENSIONS.		STROKE	4¾ inches.
FRONT	36 x 4½ inches.	COOLING	Water.
REAR	36 x 4½ inches.	RADIATOR	Cellular.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	IGNITION	Jump spark.
		ELECTRIC SOURCE	High tension magneto and storage battery.
		DRIVE	Shaft.
		TRANSMISSION .	Progressive sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

**STEVENS .
DURYEA CO.**

*Chicopee Falls,
Massachusetts*

PRICE . . \$4000




MODEL: STEVENS-DURYEA "X" LIMOUSINE

COLOR	English purple lake or Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¾ inches.
WHEEL-BASE . . .	124 inches.	STROKE	4½ inches.
GAUGE	36 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	TRANSMISSION .	Progressive sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**STEVENS -
DURYEA CO.**
*Chicopee Falls,
Massachusetts*

PRICE - - \$2850
With Cape Top
\$3000
Light Touring
Roadster - \$2850
Fore-Door Touring
\$3000




MODEL: STEVENS-DURYEA "X" TOURING CAR

COLOR	Body and chassis, English purple lake or Brewster green; or body, English purple lake or Brewster green; chassis, primrose yellow or vermillion.	CYLINDERS	Four.
SEATING CAPACITY	Five persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	124 inches.	BORE	4¾ inches.
GAUGE	56 inches.	STROKE	4½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR	Cellular.
REAR	34 x 4 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and dry batteries.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	DRIVE	Shaft.
		TRANSMISSION .	Progressive sliding gear.
		GEAR CHANGES .	Three forward, one reverse.

M O L I N E
A U T O M O B I L E
C O M P A N Y
East Moline, Ill.

PRICE . . \$1650
With Cape Top
\$1725
Toy Tonneau \$1600
Fore-Door \$1700




MODEL: MOLINE M-35 TOURING

COLOR	Dark green. .	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	112 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS.		RADIATOR	Vertical tubular.
FRONT	36 x 3½ inches.	IGNITION	Jump spark.
REAR	36 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

M O L I N E
A U T O M O B I L E
C O M P A N Y
East Moline, Ill.

PRICE . . \$1600
With Cape Top
\$1675
Touring- . \$1650
Fore-Door \$1700




MODEL: MOLINE M-35 TOY TONNEAU

COLOR	Dark blue body, cream gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	112 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tubular.
FRONT	36 x 3 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 3 1/2 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE
SPEEDWELL
MOTOR CAR
COMPANY**
Dayton, Ohio

PRICE - - \$2900
With Cape Top
\$3025
Semi-Racer Roadster
\$2500
Toy Tonneau \$2625
Close-Coupled
\$2650
Torpedo - \$2700
Five Passenger
Touring - \$2650
Toy Tonneau with
Fore-Doors \$2700
Speedwell "Cruiser"
\$3500




MODEL: SPEEDWELL II-F-SPECIAL

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	121 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**MOON MOTOR
C A R C O .
St. Louis, Mo.**

**PRICE - - \$3000
With Top - \$3125
Torpedo - \$3100
Fore-Door - \$3100
Limousine - \$4000**



MODEL: MOON "45" TORPEDO

COLOR Optional.

SEATING CAPACITY Five persons.

CLUTCH Multiple disc.

WHEEL-BASE . . . 121 inches.

GAUGE 56 inches.

TIRE DIMENSIONS,

FRONT 36 x 4 inches.

REAR 36 x 4½ inches.

**BRAKE SYSTEMS . Contracting and
expanding on
both rear wheels.**

**HORSE-POWER . . (A.L.A.M. rating)
36.1.**

CYLINDERS Four.

**ARRANGED Vertically, under
hood.**

CAST In pairs.

BORE 4¾ inches.

STROKE 5 inches.

COOLING Water.

RADIATOR Honeycomb.

IGNITION Jump spark.

**ELECTRIC SOURCE High tension
magneto and dry
batteries.**


DRIVE Shaft.

**TRANSMISSION . Selective sliding
gear.**

**GEAR CHANGES . Four forward,
one reverse.**

**MOON MOTOR
CAR CO.**
St. Louis, Mo.

PRICE . . \$1500
With Top . \$1575
Torpedo . . \$1600
Fore-Door . \$1600
Limousine . \$2750
**Coupe, with
roadster body
combination \$2250**




MODEL: MOON "30" TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	114 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**CHADWICK
ENGINEERING
WORKS**
Pottstown, Pa.

PRICE - - \$5500
With Cape Top
\$5675
Miniature Tonneau
Tourabout \$5500
Runabout - \$5500




MODEL: GREAT CHADWICK SIX STANDARD TOURABOUT

COLOR	Battleship gray, Chadwick red, or Royal blue.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	133 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting on jack shaft and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	(A.L.A.M. rating) 60.	TRANSMISSION .	Semi-selective gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**CHADWICK
ENGINEERING
WORKS**
Pottstown, Pa.

PRICE - - \$5500
With Cape Top
\$5675
Limousine \$6500
Landaulet \$6500




MODEL: CHADWICK SEVEN-PASSENGER TOURING CAR

COLOR	Brewster green or Chadwick red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	133 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting on jack shaft and expanding on rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 60.	TRANSMISSION . .	Semi-selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE WINTON
MOTOR CAR.
CO.**

Cleveland, Ohio

PRICE . . \$3000
With Cape Top
\$3150
Toy Tonneau \$3000
Roadster - \$3000
Torpedo - \$3250
Landaulet - \$4500




MODEL: WINTON SIX 17 B

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE	124 inches.	STROKE	5 inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 48.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE WINTON
MOTOR CAR.
CO.**

Cleveland, Ohio

PRICE . . \$4250




MODEL: WINTON SIX LIMOUSINE 17 B

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons (or seven).	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE	124 inches.	STROKE	5 inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 48.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**WALTHAM
MANUFACTUR-
ING COMPANY**
Cleveland, Ohio

PRICE . . \$2000
Toy Tonneau \$2000
Coupe . . \$3200




MODEL: WHITE TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	3¾ inches.
WHEEL-BASE	110 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 22.5.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**WALTHAM
MANUFACTUR-
ING COMPANY**
Cleveland, Ohio

PRICE - - \$2250
Touring - - \$2000
Toy Tonneau \$2000
Coupe - - \$3200




MODEL: WHITE TORPEDO

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	3¾ inches.
WHEEL-BASE . . .	110 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 4 inches.	IGNITION	Jump spark.
REAR	32 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 22.5.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**WALTHAM
MANUFACTUR-
ING COMPANY**
Cleveland, Ohio

PRICE - - \$3600
Landaulet - \$3800



MODEL: WHITE LIMOUSINE

COLOR Optional.

SEATING CAPACITY Seven persons.

CLUTCH Cone.

WHEEL-BASE . . . 120 inches.

GAUGE 56 inches.

TIRE DIMENSIONS,

FRONT 34 x 4 inches.

REAR 34 x 4 inches.

BRAKE SYSTEMS . Contracting and
expanding on
both rear wheels.

HORSE-POWER . . (A.L.A.M. rating)
22.5.

CYLINDERS . . . Four.

ARRANGED Vertically, under
hood.

CAST En bloc.

BORE 3¾ inches.

STROKE 5½ inches.

COOLING Water.

RADIATOR Honeycomb.

IGNITION Jump spark.

ELECTRIC SOURCE High tension
magneto.


DRIVE Shaft.

TRANSMISSION . Selective sliding
gear.

GEAR CHANGES . Four forward,
one reverse.

**WALTHAM
MANUFACTUR-
ING COMPANY**
Cleveland, Ohio

PRICE
Chassis - \$3000
Express Body
\$3150
Platform Body
\$3150




MODEL: WHITE ONE AND A HALF TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	One and a half ton.	CAST	En bloc.
CLUTCH	Cone.	BORN	3¾ inches.
WHEEL-BASE	144 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches (dual).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 22.5.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**WALTHAM
MANUFACTURING
COMPANY**
Cleveland, Ohio

PRICE
Chassis - \$3700
Platform Body
\$3850
Stake and Chain
\$3850
High Stake \$3850




MODEL: WHITE THREE-TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	Three tons.	CAST	En bloc.
CLUTCH	Cone.	BORE	3¾ inches.
WHEEL-BASE	144 inches.	STROKE	5½ inches.
GAUGE	65½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 5 inches (solid).	IGNITION	Jump spark.
REAR	40 x 4 inches (dual solid).	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 22.5.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Four forward, one reverse.

**DAYTON
MOTOR CAR
COMPANY**
Dayton, Ohio

PRICE - - \$4200
Two-Door Body
\$4000
Landulet - \$4000




MODEL: "STODDARD-DAYTON 50" 11-F FOUR-DOOR LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORN	5 inches.
WHEEL-BASE	130 inches.	STROKE	5½ inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 5 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 40.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**DAYTON
MOTOR CAR
COMPANY**
Dayton, Ohio

PRICE - - \$3000
With Mohair Cape
Top - - - \$3125
Four-Door Touring
\$3000




MODEL: "STODDARD-DAYTON 50" 11-K TORPEDO

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORN	5 inches.
WHEEL-BASE . . .	130 inches.	STROKE	5½ inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**DAYTON
MOTOR CAR
COMPANY**
Dayton, Ohio

PRICE - - \$2400
With Mohair Cape
Top - - - \$2520
Five Passenger
Ton Tonneau \$2300
Four Passenger
Ton Tonneau \$2300
Semi-Torpedo
\$2275
Torpedo - \$2350




MODEL: "STODDARD-DAYTON 40" 11-A FOUR-DOOR TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
• SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 1/4 inches.
WHEEL-BASE	120 inches.	STROKE	5 inches.
GAUGE	56 1/2 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 36.1.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**DAYTON
MOTOR CAR
COMPANY**
Dayton, Ohio

PRICE - - \$1550
With Mohair Cape
Top . . . \$1625
Limousine \$2700
Landaulet - \$2700
Coupe - - \$2350
Four-Door Touring
\$1750
Touring - - \$1700
Semi-Torpedo
\$1625




MODEL: "STODDARD-30" 11-H ROADSTER

COLOR	Body, blue; running gear, cream; body, green; running gear, light green; maroon; or gray.	CYLINDERS	Four.
SEATING CAPACITY	Two persons.	ARRANGED	Vertically, under hood.
CLUTCH	Cone.	CAST	In pairs.
WHEEL-BASE . . .	114 inches.	BORE	4½ inches.
GAUGE	56½ inches.	STROKE	5¼ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 3½ inches.	RADIATOR	Cellular.
REAR	34 x 3½ inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	Magneto and dry batteries.
HORSE-POWER . .	(A.L.A.M. rating) 27.2.	DRIVE	Shaft.
		TRANSMISSION .	Selective sliding gear.
		GEAR CHANGES .	Three forward, one reverse.


**COURIER CAR
C O M P A N Y**
Dayton, Ohio

PRICE - - \$1350
With Top - \$1425
Combination
Delivery-pleasure
Car - - - \$1350



MODEL: "STODDARD 20" 11-M TOURING CAR

COLOR	Body, blue; gear, cream; body, green; gear, light green, maroon or gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	112 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	33 x 4 inches.	IGNITION	Jump spark.
REAR	33 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.




MODEL: "COURIER" 2½-TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under foot-board.
CARR'G CAPACITY	2½ tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	112 inches.	STROKE	5¼ inches.
GAUGE	60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 5 inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches (dual).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Internal expanding on jack shaft and both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 27.2.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**PULLMAN
MOTOR CAR
COMPANY**
York, Pa.

PRICE . . \$4000
(fully equipped)
Open Front Body
\$3500
Toy Tonneau \$3500




MODEL: PULLMAN M-11

COLOR	Pullman blue; or body, Pullman blue; running gear, gray.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Cone.	BORE	5¼ inches.
WHEEL-BASE . .	127 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 44.1.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**PULLMAN
MOTOR CAR
COMPANY**
Y o r k , P a .

PRICE - - \$2000
Roadster \$2000
Fore-Door \$2100
Toy Tonneau \$2000




MODEL: K-11 TOURING CAR

COLOR	Pullman blue; or Pullman blue with gray running gear, or Pullman red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	115 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and batteries.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 32.4.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**PULLMAN
MOTOR CAR
COMPANY
York, Pa.**

**PRICE - - \$1650
Roadster \$1650**




MODEL: PULLMAN O-11 TOY TONNEAU

COLOR	Body, dark blue; running gear, gray; or all blue; or all red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 $\frac{1}{32}$ inches.
WHEEL-BASE . . .	110 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 3 $\frac{1}{2}$ inches.	IGNITION	Jump spark.
REAR	34 x 3 $\frac{1}{2}$ inches.	ELECTRIC SOURCE	High tension magneto and batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 26.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**INTER-STATE
AUTOMOBILE
CO.**

Muncie, Ind.

PRICE . . \$1750
Five Passenger
Touring . . \$1750
Single Rumble
Roadster . \$1750
Double Rumble
Roadster . \$1750




MODEL: INTER-STATE 31A

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	118 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**INTER-STATE
AUTOMOBILE
CO.**

Muncie, Ind.

**PRICE - - \$2000
With Top - \$2100**




MODEL: INTER-STATE 34

COLOR	Battleship gray.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	118 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**
Buffalo, New York

PRICE - - \$4000
Protected Touring
\$4000
(With Cape Top and
Windshield)



MODEL: PIERCE-ARROW 36 HORSE-POWER RUNABOUT

COLOR Optional.

SEATING CAPACITY Three persons.

CLUTCH Cone.

WHEEL-BASE . . . 119 inches.

GAUGE 55 inches.

TIRE DIMENSIONS,

FRONT 36 x 4 inches.

REAR 36 x 4 inches.

BRAKE SYSTEMS . Contracting and
expanding on both
rear wheels.

HORSE-POWER . . 36.

CYLINDERS . . . Six.

ARRANGED Vertically, under
hood.

CAST In pairs.

BORE 4 inches.

STROKE 5½ inches.

COOLING Water.

RADIATOR Cellular.

IGNITION Jump spark.

ELECTRIC SOURCE High tension
magneto and stor-
age battery.


DRIVE Shaft.

TRANSMISSION . Selective sliding
gear.

GEAR CHANGES . Four forward,
one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**
Buffalo, New York

PRICE - - \$4000
(With Cape Top and
Windshield)




MODEL: PIERCE-ARROW 36 HORSE-POWER MINIATURE TONNEAU

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE	125 inches.	STROKE	5½ inches.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump Spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	36.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward. one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**

Buffalo, New York

PRICE - - \$4000
(With Cape Top and
Windshield)




MODEL: PIERCE-ARROW 36 HORSE-POWER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE	125 inches.	STROKE	5½ inches.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS.		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	36.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**

Buffalo, New York

PRICE . . \$4900




MODEL: PIERCE-ARROW 36 HORSE-POWER BROUGHAM

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	125 inches.	STROKE	5½ inches.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	36.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**
Buffalo, New York

PRICE - - \$5000




MODEL: PIERCE-ARROW 36 HORSE-POWER LANDAULET

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE	125 inches.	STROKE	5½ inches.
GAUGE	55 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	36.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**
Buffalo, New York

PRICE - - \$5000
Runabout - \$4850
Miniature Tonneau
\$4850
(With Cape Top and
Windshield)




MODEL: PIERCE-ARROW 48 HORSE-POWER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	134½ inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 48.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**
Buffalo, New York

PRICE - - \$5000
**(With Cape Top and
Windshield)**




MODEL: PIERCE-ARROW 48 HORSE-POWER CLOSE-COUPLED CAR

COLOR	Optional.	ARRANGED	Vertically under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	134½ inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 48.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**

Buffalo, New York

PRICE - - \$5000
(With Cape Top and
Windshield)



MODEL: PIERCE-ARROW 48 HORSE-POWER PROTECTED TOURING CAR


COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 ½ inches.
WHEEL-BASE	128 inches.	STROKE	5 ½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 ½ inches.	IGNITION	Jump spark.
REAR	36 x 4 ½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 48.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**

Buffalo, New York

PRICE . . \$6100

Landau . . \$6200




MODEL: PIERCE-ARROW 48 HORSE-POWER SUBURBAN

COLOR	Optional.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . .	134½ inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE PIERCE-
ARROW MOTOR
CAR COMPANY**

Buffalo, New York

PRICE . . \$6000
Runabout \$5850
Miniature Tonneau \$5850
Protected Touring \$6000
Close coupled \$6000
(With Cape Top and Windshield)
Suburban - \$7100
Landau - \$7200




MODEL: PIERCE-ARROW 66 HORSE-POWER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5¼ inches.
WHEEL-BASE	140 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	37 x 5 inches.	IGNITION	Jump spark.
REAR	38 x 5½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 66.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
C O M P A N Y**
Cleveland, Ohio

PRICE . . \$4300




MODEL: PEERLESS 31

COLOR	Body, maroon; running gear, red.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . .	123 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
C O M P A N Y**
Cleveland, Ohio

PRICE . . \$6000




MODEL: PEERLESS 32 TOURING CAR

COLOR	Body, maroon; running gear, red.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	136 inches.	STROKE	5 ½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4 ½ inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 60.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE - - \$4300




MODEL: PEERLESS 31 CLOSE-COUPLED

COLOR	Body, maroon; running gear, red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	123 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE - - \$4300




MODEL: PEERLESS 31 PONY TONNEAU

COLOR	Body, maroon; running gear, red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	123 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE . . \$6000




MODEL: PEERLESS 32 TORPEDO

COLOR	Body, maroon; running gear, red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	136 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 60.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE - - \$4300




MODEL: PEERLESS 31 ROADSTER

COLOR	Body, maroon; running gear, red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Three persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE	119½ inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 40.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE - \$5400




MODEL: PEERLESS 31 LIMOUSINE

COLOR	Blue (Richelieu).	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	5 inches.
WHEEL-BASE . . .	123 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
-REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE PEERLESS
MOTOR CAR
COMPANY**
Cleveland, Ohio

PRICE - - \$4200

THE
JOHN CRerar
LIBRARY




MODEL: PEERLESS 29 LIMOUSINE TOWN CAR

COLOR	Blue body and running gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Expanding band.	BORE	4 inches.
WHEEL-BASE . . .	113 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	34 x 4½ inches.	IGNITION	Jump spark.
REAR	34 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

THE
BARTHOLOMEW
C O M P A N Y
Febr. 11, 1918
 CHICAGO, ILL. U.S.A.
 YR. 3811

PRICE - - \$2000
 With Cape Top
 \$2100
 Fore-Door \$2150
 Five Passenger
 \$2000




MODEL: GLIDE SPECIAL 45

COLOR	Coach blue. Or Brewster green with option of cream or gray gear.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4¾ inches.
WHEEL-BASE . . .	120 inches	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE
BARTHOLOMEW
C O M P A N Y**
Peoria, Illinois

PRICE . . \$2000
With Cape Top
\$2100
Roadster - \$2000




MODEL: GLIDE SCOUT

COLOR	Coach blue. Or Brewster Green with option of cream or gray gear.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4¾ inches.
WHEEL-BASE . . .	122 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	40 x 4 inches.	IGNITION	Jump spark.
REAR	40 x 4 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE
LOCOMOBILE
COMPANY OF
AMERICA**
Bridgeport, Conn.

PRICE - - \$3500
(with equipment)




MODEL: LOCOMOBILE L BABY TONNEAU

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	120 inches.	STROKE	4½ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 32.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Four forward, one reverse.

**THE
LOCOMOBILE
COMPANY OF
AMERICA**
Bridgeport, Conn.

PRICE . . \$3700
(with equipment)




MODEL: LOCOMOBILE L TORPEDO

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE . . .	120 inches.	STROKE	4¼ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE
LOCOMOBILE
COMPANY OF
AMERICA**
Bridgeport, Conn.

PRICE - - \$3500
(with equipment)




MODEL: LOCOMOBILE L TOURING

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE	120 inches.	STROKE	4½ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4½ inches.	IGNITION	Jump spark.
REAR	34 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 32.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE
LOCOMOBILE
COMPANY OF
AMERICA**
Bridgeport, Conn.

PRICE - - \$4800
(with equipment)
Limousine \$6050




MODEL: LOCOMOBILE M TOURING

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	135 inches.	STROKE	4½ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Four forward, one reverse.

**THE
LOCOMOBILE
COMPANY OF
AMERICA**
Bridgeport, Conn.

PRICE - - \$4600
Landaulet \$4700




MODEL: LOCOMOBILE L LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	120 inches.	STROKE	4½ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4½ inches.	IGNITION	Jump spark.
REAR	34 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE - - \$3500
(with equipment)
Torpedo - \$3400




MODEL: KNOX TOURING CAR SERIES B—"R"

COLOR	Blue, gray, green, red, carmine, wine, and tan.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Three plate.	BORE	5 inches.
WHEEL-BASE . . .	122 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Flat tube type.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . \$3300
(with equipment)
Landaulet \$4250
Limousine \$4250
**Fore-Door Limou-
sine . . . \$4400**
**Close-coupled
\$3250**




MODEL: KNOX STANDARD TOURING CAR "R"

COLOR	Blue, gray, green, red, carmine, wine, and tan.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Three plate.	BORE	5 inches.
WHEEL-BASE . .	122 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Flat tube.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE - - \$3350
(with equipment)




MODEL: TONNEAUETTE SERIES A—"R"

COLOR	Blue, gray, green, red, carmine, wine, and tan.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Three plate.	BORE	5 inches.
WHEEL-BASE . .	117 inches.	STROKE	4 ¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Flat tube.
FRONT	36 x 4 ½ inches.	IGNITION	Jump spark.
REAR	36 x 4 ½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, and one reverse.

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE - - \$3300
(with equipment)
Double Rumble
Raceabout \$3250



MODEL: KNOX DOUBLE RUMBLE RACEABOUT SERIES A-"R"

COLOR	Blue, gray, green, red, carmine, wine, and tan.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Three plate.	BORE	5 inches.
WHEEL-BASE . . .	117 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Flat tube.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

KNOX AUTO-MOBILE CO.


Springfield, Mass.

PRICE - - \$5000

(with equipment)

Tonneauette \$4900

Raceabout \$4800




MODEL: TORPEDO "S"

COLOR	Blue, gray, green, carmine, wine, and tan.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Three plate.	BORE	5 inches.
WHEEL-BASE . . .	134 inches.	STROKE	4 1/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Flat tube.
FRONT	38 x 5 1/4 inches.	IGNITION	Jump spark.
REAR	38 x 5 1/4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 60.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Three forward, one reverse.

**KNOX AUTO-
MOBILE CO.**
Springfield, Mass.

PRICE . . . \$5000
(with equipment)
Close-coupled
\$4900
Limousine \$6250
Fore-Door Limou-
sine . . . \$6400



MODEL: KNOX STANDARD TOURING CAR "S"


COLOR	Blue, gray, green, carmine, wine, and tan.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Three plate.	BORE	5 inches.
WHEEL-BASE	134 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Flat tube.
FRONT	38 x 5½ inches.	IGNITION	Jump spark.
REAR	38 x 5½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 60.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Three forward, one reverse.

**MAXWELL-
BRISCOE
MOTOR
COMPANY**

Tarrytown, N. Y.

PRICE - - \$1600

**(Also without Fore
Door)**



MODEL: MAXWELL G A FORE-DOOR CLOSE-COUPLED TOURING CAR


COLOR	Body, dark green, running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	110 inches.	STROKE	4¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Progressive slid- ing gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**MAXWELL-
BRISCOE
MOTOR
COMPANY**

Tarrytown, N. Y.

PRICE - - \$1600

**Open Front Body
\$1500**




MODEL: MAXWELL E A TOURING CAR

COLOR	Body, dark green, running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	110 inches.	STROKE	4¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Progressive slid- ing gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**MAXWELL-
BRISCOE
MOTOR
COMPANY**

Tarrytown, N. Y.

PRICE - - \$1100
(Also with Surrey
Rumble and Run-
about Bodies)




MODEL: MAXWELL I TOURING

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	104 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 3 1/2 inches.	IGNITION	Jump spark.
REAR	32 x 3 1/2 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Progressive sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**MAXWELL.
BRISCOE
MOTOR
COMPANY**
Tarrytown, N. Y.

PRICE . . \$600




MODEL: MAXWELL A B RUNABOUT

COLOR	Body, dark blue; running gear, cream.	ARRANGED . . .	Horizontally, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	86 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	28 x 3 inches.	IGNITION	Jump spark.
REAR	28 x 3 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 16.2.	TRANSMISSION .	Planetary.
CYLINDERS	Two.	GEAR CHANGES .	Two forward, one reverse.

**MATHESON
MOTOR CAR CO.**

Wilkes-Barre, Pa.

PRICE . . \$5000
Roadster . \$4750
(With Cape Top)
Limousine or
Landaulet . \$5750




MODEL: MATHESON 1911, "E"

COLOR	Body, upper work, carmine, under body, black; running gear, red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	5 inches.
WHEEL-BASE . . .	128 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Make-and-break, or jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	Low tension magneto and dry battery, with make-and-break; high tension magneto and battery with jump spark.
BRAKE SYSTEMS .	Contracting on countershaft and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

MATHESON
MOTOR CAR CO.
Wilkes-Barre, Pa.

PRICE . . \$3500
Five Passenger
Open Door Touring
\$3500
Five Passenger
Fore-Door Touring
\$3750
Seven Passenger
Fore-Door Touring
\$4000
Speedster - \$3500
(With Cape Top)



MODEL: MATHESON SILENT SIX, TOY TONNEAU

COLOR	Body and running gear, deep solid blue or Valentine cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 1/2 inches.
WHEEL-BASE	125 1/2 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark, double. Two sets of spark plugs.
REAR	36 x 4 1/2 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Three forward, one reverse.

**MATHESON
MOTOR CAR CO.**

Wilkes-Barre, Pa.

PRICE . . \$3500

Four Passenger

Toy Tonneau \$3500

Five Passenger

Fore-Door Touring

\$3750

Seven Passenger

Fore-Door Touring


\$4000

Speedster - \$3500

(With Cape Top)

Limousine \$4700

Landaulet - \$4700




MODEL: MATHESON SILENT SIX, TOURING CAR

COLOR	Body and running gear, solid deep carmine or deep blue.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . .	125½ inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS.		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark, double. Two sets of spark plugs.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Three forward, one reverse.

**NORDYKE
& MARMON
COMPANY**
Indianapolis, Ind.

PRICE . . \$2750
With Cape Top
\$2875
Limousine \$4000
Landulet . \$4100




MODEL: MARMON "THIRTY-TWO" FIVE-PASSENGER TOURING CAR

COLOR	Body, blue-black and gray stripe; gear, gray and black stripe.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . .	120 inches.	STROKE	5 inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR . . .	Cellular-Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Internal expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES	Three forward, one reverse.

**NORDYKE
& MARMON
COMPANY**
Indianapolis, Ind.

PRICE . . \$2750
With Cape Top
\$2875




MODEL: MARMON "THIRTY-TWO" FOUR-PASSENGER SUBURBAN

COLOR	Body, blue-black and gray stripe; gear, gray and black stripe.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	120 inches.	STROKE	5 inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular-Honey-comb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Internal expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**NORDYKE
& MARMON
COMPANY**

Indianapolis, Ind.

**PRICE . . \$2750
With Cape Top
\$2850**




MODEL: MARMON "THIRTY-TWO" TWO-PASSENGER ROADSTER

COLOR	Body, blue-black and gray stripe; gear, gray and black stripe.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	120 inches.	STROKE	5 inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular-Honey-comb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Internal expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**LOZIER MOTOR
C O M P A N Y**
Detroit, Mich.

PRICE . . \$5500
Lakewood Torpedo
\$5500
Toy Tonneau \$5500
With Extension Top
\$5650
Limousine \$7000




MODEL: LOZIER FORWARD DOOR TOURING CAR, TYPE 51

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 1/2 inches.
WHEEL-BASE . . .	131 inches.	STROKE	5 1/2 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 51.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES ..	Four forward, one reverse.

**LOZIER MOTOR
C O M P A N Y**
Detroit, Mich.

PRICE . . \$4600
Touring Car \$4600
Toy Tonneau \$4600
With Extension Top
\$4750
Limousine \$6000




MODEL: LOZIER LAKEWOOD TORPEDO, TYPE 46

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	5¾ inches.
WHEEL-BASE . . .	124 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 46.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**M E R C E R
A U T O M O B I L E
C O M P A N Y**
Trenton, N. J.

PRICE . . . \$2250
Runabout . . \$2250




MODEL: MERCER 35 RACEABOUT

COLOR	Brown, red or yellow.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE	108 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS . .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 30.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**M E R C E R
A U T O M O B I L E
C O M P A N Y
Trenton, N. J.**

**PRICE . . \$2150
With Cape Top
\$2275**




MODEL: MERCER 30 C TOY TONNEAU

COLOR	Mercer brown or Mercer blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**M E R C E R
A U T O M O B I L E
C O M P A N Y**
Trenton, N. J.

PRICE - - \$2150
With Cape Top
\$2275
Limousine - \$3250




MODEL: MERCER 30 C TOURING CAR

COLOR	Mercer blue or Mercer red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	116 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**JACKSON
AUTOMOBILE
COMPANY**
Jackson, Mich.

PRICE . . \$2200
(Including Wind
Shield and Gas Tank)
With Cape Top
\$2300
Removable front
doors . . **\$2250**
Four Passenger
Tourabout **\$2200**




MODEL: JACKSON 31

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORR	4 $\frac{1}{4}$ inches.
WHEEL-BASE . . .	120 inches.	STROKE	4 $\frac{1}{4}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**JACKSON
AUTOMOBILE
COMPANY**

Jackson, Mich.

PRICE . . \$1700
With Cape Top
\$1775
With Removable
front doors \$1750
Four Passenger
Tourabout- \$1700




MODEL: JACKSON 41

COLOR	Body, dark blue; running gear, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**JACKSON
AUTOMOBILE
COMPANY**
Jackson, Mich.

PRICE . . \$1650
With Cape Top
\$1725




MODEL: JACKSON 38

COLOR	Cream with brown striping.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 3/4 inches.
WHEEL-BASE . . .	115 inches.	STROKE	4 1/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 30.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**JACKSON
AUTOMOBILE
COMPANY**
Jackson, Mich.

PRICE . . \$1250
With Cape Top
\$1325
With Removable
front doors \$1290




MODEL: JACKSON 30

COLOR	Brewster green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	105 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**JACKSON
AUTOMOBILE
COMPANY**

Jackson, Mich.

**PRICE . . \$1100
With Cape Top
\$1140**



MODEL: JACKSON 25


COLOR	Body, blue; running gear, ivory white.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORN	3 $\frac{3}{4}$ inches.
WHEEL-BASE	105 inches.	STROKE	4 $\frac{1}{2}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 3 $\frac{1}{2}$ inches.	IGNITION	Jump spark.
REAR	32 x 3 $\frac{1}{2}$ inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 22.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**MACK BROS.
MOTOR CAR CO.**

Allentown, Pa.

PRICE

**Chassis - \$2500
With Stake Body
\$2650**




MODEL: "MACK" ONE-TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	One ton.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 1/2 inches.
WHEEL-BASE	122 or 134 inches.	STROKE	5 1/2 inches.
GAUGE	58 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches (single).	IGNITION	Jump spark.
REAR	36 x 2 1/2 inches (dual).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Contracting on countershafts and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER	(A.L.A.M. rating) 32.4.	TRANSMISSION	Selective type of Mack patent positive individual clutch.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**MACK BROS.
MOTOR CAR CO.**
Allentown, Pa.

PRICE
Chassis - \$4000
With Stake Body
\$4200




MODEL: "MACK" THREE-TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	Three tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5½ inches.
WHEEL-BASE . . .	129 to 144 inches.	STROKE	6 inches.
GAUGE	68 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 5 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches (dual).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on countershafts and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 48.4.	TRANSMISSION .	Selective type of Mack patent positive individual clutch.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**MACK BROS.
MOTOR CAR CO.**

Allentown, Pa.

PRICE
Chassis - \$4700
With Stake Body
\$4900




MODEL: "MACK" FIVE-TON BEER TRUCK

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	Five tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5½ inches.
WHEEL-BASE . . .	129 to 168 inches.	STROKE	6 inches.
GAUGE	72 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 6 inches.	IGNITION	Jump spark.
REAR	42 x 5 inches. (dual).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on countershafts and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 48.4.	TRANSMISSION .	Selective type of Mack patent positive individual clutch.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**MACK BROS.
MOTOR CAR CO.**
Allentown, Pa.

PRICE
Chassis - \$5300
With Stake Body
\$5700




MODEL: "MACK" SEVEN-TON DUMP TRUCK

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	Seven tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5½ inches.
WHEEL-BASE . . .	129 to 168 inches.	STROKE	6 inches.
GAUGE	72 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 6 inches (single).	IGNITION	Jump spark.
REAR	42 x 6 inches (dual).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on countershafts and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 48.4.	TRANSMISSION . .	Selective type of Mack patent positive individual clutch.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**PIERCE MOTOR
COMPANY**
Racine, Wis.

PRICE . . \$1850
**(with full
equipment)**




MODEL: CASE FORE-DOOR TOURING CAR

COLOR	Blue or green; or body, blue or green; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	112 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**PIERCE MOTOR
COMPANY**
Racine, Wis.

PRICE - - \$1950
(with full
equipment)




MODEL: CASE CAR TORPEDO

COLOR	Gray, or blue, or green; or body, gray, blue, green; running gear, cream.	CYLINDERS	Four.
SEATING CAPACITY	Four persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	112 inches.	BORE	4¼ inches.
GAUGE	56 inches.	STROKE	5 inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR	Honeycomb.
REAR	34 x 4 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	DRIVE	Shaft.
		TRANSMISSION .	Selective gear.
		GEAR CHANGES .	Three forward, one reverse.

**PIERCE MOTOR
C O M P A N Y**
Racine, Wis.

PRICE . . \$1850
(With Cape Top)




MODEL: CASE CAR ROADSTER

COLOR	Blue or green; or body, blue; run- ning gear, cream; or body, green; running gear, cream.	CYLINDERS	Four.
SEATING CAPACITY	Three persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	112 inches.	BORE	4 1/4 inches.
GAUGE	56 inches.	STROKE	5 inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR	Honeycomb.
REAR	34 x 4 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	DRIVE	Shaft.
		TRANSMISSION .	Selective gear.
		GEAR CHANGES .	Three forward, one reverse.

**PIERCE MOTOR
C O M P A N Y**
Racine, Wis.

PRICE . - \$1850
**(with full
equipment)**




MODEL: CASE CAR SUBURBAN

COLOR	Gray, blue or green; or body, gray, blue or green; running gear, cream.	CYLINDERS	Four.
SEATING CAPACITY	Four persons.	ARRANGED	Vertically, under hood.
CLUTCH	Multiple disc.	CAST	In pairs.
WHEEL-BASE . . .	112 inches.	BORE	4 1/4 inches.
GAUGE	56 inches.	STROKE	5 inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR	Honeycomb.
REAR	34 x 4 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	DRIVE	Shaft.
		TRANSMISSION .	Selective gear.
		GEAR CHANGES .	Three forward, one reverse.

**E. R. THOMAS
MOTOR CO.**
Buffalo, N. Y.

PRICE - - \$6000
(with full
equipment)
Limousine - \$7500
Landaulet - \$7600




MODEL: THOMAS 6-70 FLYER—TOURING CAR "K"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	Separately.
CLUTCH	Three disc.	BORE	5½ inches.
WHEEL-BASE	140 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	38 x 4½ inches.	IGNITION	Jump spark.
REAR	38 x 5½ inches	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Expanding on rear wheels, contracting on countershaft.	DRIVE	Double side chain.
HORSE-POWER	(A.L.A.M. rating) 72.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**E. R. THOMAS
MOTOR CO.**
Buffalo, N. Y.

PRICE . . \$6000
(with full
equipment)




MODEL: THOMAS 6-70 FLYER-FLYABOUT "K"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Three disc.	BORE	5½ inches.
WHEEL-BASE	140 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	38 x 4½ inches.	IGNITION	Jump spark.
REAR	38 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Expanding on rear wheels, contracting on countershaft.	DRIVE	Double side chain.
HORSE-POWER	(A.L.A.M. rating) 72.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**E. R. THOMAS
MOTOR CO.**
Buffalo, N. Y.

PRICE - - \$4000
(with full
equipment)
Five Passenger
\$3900




MODEL: THOMAS 6-40 FLYER—FORE-DOOR TOURING CAR "M"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Three disc.	BORE	4 1/4 inches.
WHEEL-BASE	125 inches.	STROKE	5 1/2 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS.		RADIATOR	Honeycomb.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 43.8.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Three forward, one reverse.

**E. R. THOMAS
MOTOR CO.
Buffalo, N. Y.**

**PRICE - - \$3750
(with full
equipment)
Seven Passenger
\$3850**




MODEL: THOMAS 6-40 FLYER—TOURING CAR "M"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Three disc.	BORE	4½ inches.
WHEEL-BASE . . .	125 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 43.8.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Three forward, one reverse.

**E. R. THOMAS
MOTOR CO.
Buffalo, N. Y.**

**PRICE - - \$5000
(with full
equipment)
Landaulet - \$5100**




MODEL: THOMAS 6-40 FLYER—SEVEN-PASSENGER LIMOUSINE "M"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Three disc.	BORE	4¼ inches.
WHEEL-BASE . . .	125 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	37 x 5 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 43.8.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Three forward, one reverse.

**E. R. THOMAS
MOTOR CO.
Buffalo, N. Y.**

**PRICE - - \$4000
(with full
equipment)
Limousine - \$4100
Landaulet - \$4250**




MODEL: THOMAS 4-28 TOWN CAR "R"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Three disc.	BORE	4¼ inches.
WHEEL-BASE . . .	123 inches.	STROKE	5½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4½ inches.	IGNITION	Jump spark.
REAR	34 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE HOL-TAN
C O M P A N Y**

**1741 Broadway
New York City**

**PRICE . . \$5000
Touring . . \$4250
Runabout . \$3750**




MODEL: LANCIA LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	3 $\frac{9}{10}$ inches.
WHEEL-BASE . . .	115 inches.	STROKE	4 $\frac{3}{10}$ inches.
GAUGE	54 $\frac{1}{2}$ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting on propeller shaft and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 24.3.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**BREWSTER &
CO.**

*670 Fifth Avenue
New York City*

PRICE . . . \$7750




MODEL: DELAUNAY-BELLEVILLE 25 H. P. LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	98 mm.
WHEEL-BASE	138 inches.	STROKE	122 mm.
GAUGE	53½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	920 x 120 mm.	IGNITION	Jump spark.
REAR	920 x 120 mm.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 35.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES	Four forward, one reverse.

**A T L A S
MOTOR CAR
C O M P A N Y**

Springfield, Mass.

**PRICE . . \$1250
With Runabout Top
\$1325**




MODEL: ATLAS "N" TORPEDO RUNABOUT

COLOR	Auto gray or royal purple.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Three persons.	CAST	Separately.
CLUTCH	Three plate.	BORE	4½ inches.
WHEEL-BASE . . .	106 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	Dry batteries.
BRAKE SYSTEMS .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	20.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Two, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**A T L A S
MOTOR CAR
C O M P A N Y**
Springfield, Mass.

PRICE - - \$2400
With Mohair Cape
Top - - - \$2525
Fore-Dore - \$2400
Torpedo - \$2450



MODEL: ATLAS "O"

COLOR Royal purple.

SEATING CAPACITY Seven persons.

CLUTCH Three plate.

WHEEL-BASE . . 120 inches.

GAUGE 56 inches.

TIRE DIMENSIONS,

FRONT 36 x 4 inches.

REAR 36 x 4 inches.

BRAKE SYSTEMS . Contracting on
transmission and
expanding on
both rear wheels.

HORSE-POWER . . 40.

CYLINDERS Four, two cycle.

ARRANGED Vertically, under
hood.

CAST In pairs.

BORE 4½ inches.

STROKE 4½ inches.

COOLING Water.

RADIATOR Vertical tube.

IGNITION Jump spark.

ELECTRIC SOURCE Dry batteries.

DRIVE Shaft.

TRANSMISSION . Selective sliding
gear.

GEAR CHANGES . Three forward,
one reverse.

**A T L A S
MOTOR CAR
C O M P A N Y**
Springfield, Mass.

PRICE . . \$2400
(without headlights)




MODEL: ATLAS "K" TAXICAB

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Three plate.	BORE	4½ inches.
WHEEL-BASE . . .	102 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 4 inches.	IGNITION	Jump spark.
REAR	32 x 4 inches.	ELECTRIC SOURCE	Dry batteries.
BRAKE SYSTEMS .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	20.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Two, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**A T L A S
MOTOR CAR
C O M P A N Y**
Springfield, Mass.

PRICE . . \$2000
(without headlights)




MODEL: ATLAS "L" DELIVERY WAGON

COLOR	Optional.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	1,500 pounds.	CAST	In pairs.
CLUTCH	Three plate.	BORE	4½ inches.
WHEEL-BASE	102 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 4½ inches.	IGNITION	Jump spark.
REAR	32 x 4½ inches.	ELECTRIC SOURCE	Dry batteries.
BRAKE SYSTEMS . .	Contracting on transmission and expanding on both rear wheels	DRIVE	Shaft.
HORSE-POWER . . .	20.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Two, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**GRABOWSKY
P O W E R
WAGON CO.**
Detroit, Mich.

PRICE - - \$3500




MODEL: GRABOWSKY 3-TON TRUCK

COLOR	Optional.	ARRANGED	Horizontally op- posed under hood.
CARR'G CAPACITY	Three tons.	CAST	Separately.
CLUTCH	Plate.	BORE	6 inches.
WHEEL-BASE . . .	127 inches.	STROKE	5 inches.
GAUGE	60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 3½ inches (dual).	ELECTRIC SOURCE	Low tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Double side chain and shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.8.	TRANSMISSION .	Planetary.
CYLINDERS	Two.	GEAR CHANGES .	Two forward, one reverse.

**PREMIER
MOTOR MFG.
COMPANY**
Indianapolis, Ind.

PRICE - - \$2800
With full equipment
\$3000
Clubman - \$3000
Roadster - \$2800
Limousine- \$4200




MODEL: PREMIER 4-40 TOURING CAR

COLOR	Blue black.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	126 inches.	STROKE	5¼ inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**PREMIER
MOTOR MFG.
COMPANY**
Indianapolis, Ind.

PRICE - : \$3500
With Cape Top
\$3650
Clubman - \$3500
Roadster - \$3500
Limousine \$5000




MODEL: PREMIER 6-60

COLOR	Blue black.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	140 inches.	STROKE	5¼ inches.
GAUGE	56½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Six.	GEAR CHANGES .	Three forward, one reverse.

**ALDEN SAMP-
SON MANUFAC-
TURING CO.**
Pittsfield, Mass.

PRICE . . \$4500




MODEL: SAMPSON 10 A

COLOR	Optional.	ARRANGED	Vertically, under seat.
CARR'G CAPACITY	Four tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	152 inches, or over.	STROKE	5½ inches.
GAUGE	70 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 5 inches (single solid).	IGNITION	Jump spark.
REAR	36 x 5 inches (dual solid).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on differential and expanding on both rear wheels.	DRIVE	Double side chain, enclosed.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**K I S S E L
M O T O R C A R
C O M P A N Y**
Hartford, Wis.

PRICE . . \$2500
(without gas tank)
**With Mohair Cape
Top . . . \$2610**
**With Fore-Door
\$2600**




MODEL: KISSEL KAR F 11

COLOR	Body and running gear, light blue; wheels, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	132 inches.	STROKE	4¾ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Flat tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Six.	GEAR CHANGES .	Four forward, one reverse.

K I S S E L
MOTOR CAR
C O M P A N Y
Hartford, Wis.

PRICE - - \$3500




MODEL: KISSEL KAR 3-5 TON TRUCK

COLOR	Body, blue; running gear, cream.	ARRANGED	Vertically, under hood.
CARR'G CAPACITY	Five tons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 1/4 inches.
WHEEL-BASE . . .	144 or 166 inches.	STROKE	4 1/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Flat tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches (dual).	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on jack shaft and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 38.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**RAPID MOTOR
VEHICLE
COMPANY**

Pontiac, Mich.

PRICE . . \$1850




MODEL: RAPID 1-TON TRUCK

COLOR	Optional.	ARRANGED	Set with the frame.
CARR'G CAPACITY	One ton.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	5¼ inches.
WHEEL-BASE . . .	100 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . .	(A.L.A.M. rating) 22.	TRANSMISSION . .	Planetary.
CYLINDERS . . .	Two.	GEAR CHANGES .	Two forward, one reverse.

**RELIANCE
MOTOR TRUCK
COMPANY**
Owosso, Mich.

PRICE
Chassis - \$3500
Body as shown
\$200




MODEL: RELIANCE "H"

COLOE	Optional.	ARRANGED	Vertically, under seat.
CARR'G CAPACITY	3½ tons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	5½ inches.
WHEEL-BASE	140 inches.	STROKE	5 inches.
GAUGE	65 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 5 inches.	IGNITION	Jump spark.
REAR	36 x 3½ inches (dual).	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting on jack shaft and both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	45.	TRANSMISSION . .	Progressive sliding gear.
CYLINDERS	Three, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**THE BUCKEYE
MANUFACTUR-
ING COMPANY**
Anderson, Ind.

PRICE - - \$1350
With Cape Top
\$1440
Torpedo - \$1600
Torpedo Roadster
\$1200




MODEL: LAMBERT "88"

COLOR	Body, deep red ; running gear, auto red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	4 1/8 inches.
WHEEL-BASE . . .	112 inches.	STROKE	4 1/2 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Tubular.
FRONT	32 x 3 1/2 inches.	IGNITION	Jump spark.
REAR	32 x 3 1/2 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Single chain.
HORSE-POWER . .	(A.L.A.M. rating) 27.2.	TRANSMISSION .	Friction.
CYLINDERS	Four.		

**S E L D E N
M O T O R
V E H I C L E
C O M P A N Y**

Rochester, N. Y.

PRICE - - \$2250
(with full
equipment)




MODEL: THE SELDEN CAR 40-T

COLOR	Selden blue with pearl gray chassis; or Brewster green with carmine stripes.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE	116 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular square tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 36.1.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**S E L D E N
M O T O R
V E H I C L E
C O M P A N Y**

Rochester, N. Y.

PRICE . . \$2500
Roadster . \$2500
(with full
equipment)




MODEL: THE SELDEN CAR 44

COLOR	Selden blue with pearl gray chassis; or automobile cream with black stripe.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 1/4 inches.
WHEEL-BASE . . .	125 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**S E L D E N
M O T O R
V E H I C L E
C O M P A N Y**

Rochester, N. Y.

PRICE - - \$2600
(with full
equipment)




MODEL: THE SELDEN CAR 40-S

COLOR	Selden blue with pearl gray chassis; or Brewster green with carmine stripes.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE	122 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 36.1.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**SELDEN
MOTOR
VEHICLE
COMPANY**

Rochester, N. Y.

PRICE - - \$2600
(with full
equipment)




MODEL: THE SELDEN CAR 46

COLOR	Selden blue with pearl gray chas- sis; or Brewster green with car- mine stripes.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Six persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	125 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**OAKLAND
MOTOR CAR
COMPANY**

Pontiac, Mich.

**PRICE - - \$1600
M Runabout \$1800**




MODEL: OAKLAND K SPECIAL

COLOR	Body, royal blue; running gear, Dayton gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	112 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto, dual system with dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	40.	TRANSMISSION .	Selective gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**WILLYS-
OVERLAND
COMPANY**
Toledo, Ohio

PRICE . . \$775
Torpedo . . \$850




MODEL: OVERLAND ROADSTER "45"

COLOR	Dark blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	3½ inches.
WHEEL-BASE	96 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tube.
FRONT	32 x 3 inches.	IGNITION	Jump spark.
REAR	32 x 3 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 19.6.	TRANSMISSION . .	Planetary.
CYLINDERS	Four.	GEAR CHANGES .	Two forward, one reverse.


**WILLYS -
OVERLAND
COMPANY**
Toledo, Ohio

PRICE - - \$1095
Five Passenger
Fore-Dore - \$1095



MODEL: OVERLAND "49"

COLOR	Blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Cone.	BORE	3¾ inches.
WHEEL-BASE . . .	102 inches.	STROKE	4½ inches.
GAUGE	56 or 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tube.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 22.5.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.




MODEL: OVERLAND TORPEDO ROADSTER "50"

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tube.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**WILLYS-
OVERLAND
COMPANY**
Toledo, Ohio

PRICE - - \$1250
Open Front \$1250




MODEL: OVERLAND FORE-DOOR TOURING CAR "51"

COLOR	Body, dark blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 or 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tube.
FRONT	34 x 3½ inches.	IGNITION	Jump spark.
REAR	34 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**W I L L Y S .
O V E R L A N D
C O M P A N Y**
Toledo, Ohio

PRICE - - \$1600
Fore-Dore - \$1600




MODEL: OVERLAND FIVE-PASSENGER TOURING CAR "52"

COLOR	Body, dark blue; running gear, French gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4 1/4 inches.
WHEEL-BASE . . .	118 inches.	STROKE	4 1/2 inches.
GAUGE	56 or 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.0.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**W I L L Y S .
O V E R L A N D
C O M P A N Y**
Toledo, Ohio

PRICE - - \$1600
Four Passenger
Torpedo - \$1675




MODEL: OVERLAND TORPEDO ROADSTER "53"

COLOR	Body, dark blue; running gear, French gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE . . .	118 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical flat tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**W I L L Y S -
O V E R L A N D
C O M P A N Y**
Toledo, Ohio

PRICE - - \$1000
With Mohair Cape
Top - - - \$1050




MODEL: M 30 MARION

COLOR	Body, blue; wheels, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**WILLYS -
OVERLAND
COMPANY**
Toledo, Ohio

PRICE . . \$1650
With Mohair Cape
Top . . . \$1700
Four-Door Touring
\$1700




MODEL: M 40 MARION

COLOR	Body, green; wheels, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4¼ inches.
WHEEL-BASE . . .	115 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Internal expand- ing on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**WILLYS -
OVERLAND
COMPANY**
Toledo, Ohio

PRICE - - \$1200
With Mobair Cape
Top - - - \$1275



MODEL: M 30 MARION

COLOR	Body, blue; wheels, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 3½ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**S I M P L E X
M O T O R C A R
C O M P A N Y**

Wishawaka, Ind.

PRICE - - \$4000


**With top, shock
absorbers and self
cranker - - \$4300**

**Five Passenger
Toy Tonneau \$4000**

**Five Passenger
Close - Coupled
\$4000**

**Two Passenger
Roadster - \$4000**

Limousine - \$5650




MODEL: AMPLEX H

COLOR	Body, dark green ; running gear, fawn.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	5 $\frac{1}{16}$ inches.
WHEEL-BASE . . .	128 inches.	STROKE	5 inches.
GAUGE	56 $\frac{1}{2}$ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 41.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**BUICK MOTOR
COMPANY**
Flint, Mich.

PRICE . . \$800
Four Passenger
Close - Coupled,
Detachable Tonneau
\$950




MODEL: BUICK 32

COLOR	Buick red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	3 3/4 inches.
WHEEL-BASE . . .	90 inches.	STROKE	3 3/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	30 x 3 1/2 inches.	IGNITION	Jump spark.
REAR	30 x 3 1/2 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 22.	TRANSMISSION .	Planetary.
CYLINDERS . . .	Four.	GEAR CHANGES .	Two forward, one reverse.

**BUICK MOTOR
COMPANY**
Flint, Mich.

PRICE - - \$1050




MODEL: BUICK 26

COLOR	Battleship gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	100 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	30 or 32 x 3 1/2 inches.	IGNITION	Jump spark.
REAR	30 or 32 x 3 1/2 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 25.6.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Three forward, one reverse.

**BUICK MOTOR
COMPANY**
Flint, Mich.

PRICE . . \$1150




MODEL: BUICK 27

COLOR	Body and running gear, dark blue; wheels, ivory white.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE . . .	106 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 3 ½ inches.	IGNITION	Jump spark.
REAR	32 x 3 ½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 25.6.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**BUICK MOTOR
C O M P A N Y**
Flint, Mich.

PRICE . . . \$1500
Four Passenger
Close-Coupled,
Detachable Tonneau
\$1500




MODEL: BUICK 21

COLOR	Bulck green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¼ inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 or 34 x 4 inches.	IGNITION	Jump spark.
REAR	32 or 34 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**BUICK MOTOR
COMPANY**
Flint, Mich.

PRICE - - \$1850




MODEL: BUICK 38

COLOR	Body, blue; running gear, black; wheels, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE	116 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 4½ or 36 x 4 inches.	IGNITION	Jump spark.
REAR	32 x 4½ or 36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**BUICK MOTOR
COMPANY**
Flint, Mich.

PRICE - - \$1850




MODEL: BUICK 39

COLOR	Body, blue; running gear, black; wheels, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE	116 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE EWING
AUTOMOBILE
COMPANY**
Flint, Mich.

PRICE - - \$3000




MODEL: "EWING" TAXICAB

COLOR	Body, dark blue; running gear, white.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	3 3/8 inches.
WHEEL-BASE . . .	108 inches.	STROKE	4 1/4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	32 x 4 inches.	IGNITION	Jump spark.
REAR	32 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 24.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**STUDEBAKER
AUTOMOBILE
COMPANY**
South Bend, Ind.

PRICE - - \$3500
With Cape Top
\$3650




MODEL: STUDEBAKER FOUR-PASSENGER TOURABOUT

COLOR	Blue, green, maroon or red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE	117½ inches.	STROKE	5¼ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Make-and-break.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	40.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**STUDEBAKER
AUTOMOBILE
COMPANY**
South Bend, Ind.

PRICE . . . \$4500
Landaulet . . \$4600




MODEL : STUDEBAKER LIMOUSINE

COLOR	Blue, green or maroon.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4 ¾ inches.
WHEEL-BASE	117 ½ inches.	STROKE	5 ¼ inches.
GAUGE	54 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 inches.	IGNITION	Make-and-break.
REAR	36 x 4 ½ inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	40.	TRANSMISSION	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES	Four forward, one reverse.

**NATIONAL
MOTOR
VEHICLE
COMPANY**

Indianapolis, Ind.

**PRICE . . \$2500
With Cape Top
\$2600**




MODEL: NATIONAL "40" SPEEDWAY ROADSTER

COLOR	White; or body, National blue; running gear, straw.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	124 inches.	STROKE	5 $\frac{1}{16}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**NATIONAL
MOTOR
VEHICLE
COMPANY**

Indianapolis, Ind.

PRICE - - \$2600
Open Touring
\$2500



MODEL: NATIONAL "40" FORE-DOOR TOURING CAR


COLOR	National blue, green, or red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	124 inches.	STROKE	5 $\frac{1}{16}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

**NATIONAL
MOTOR
VEHICLE
COMPANY**

Indianapolis, Ind.

PRICE - - \$2600

**Open Toy Tonneau
\$2500**



MODEL: NATIONAL "40" FORE-DOOR TOY TONNEAU


COLOR	National blue, National green, National red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE	124 inches.	STROKE	5 $\frac{1}{16}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Jump spark.
REAR	36 x 4 inches.	ELECTRIC SOURCE	High tension magneto and stor- age battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 40.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**NATIONAL
MOTOR
VEHICLE
COMPANY**

Indianapolis, Ind.

PRICE - - \$3750

Fore-Door - \$4000




MODEL: NATIONAL "40" LIMOUSINE

COLOR	Body, black; running gear, National green.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 inches.
WHEEL-BASE . . .	124 inches.	STROKE	5 $\frac{1}{16}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	37 x 4 $\frac{1}{2}$ inches.	IGNITION	Jump spark.
REAR	37 x 4 $\frac{1}{2}$ inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.


**REGAL MOTOR
CAR COMPANY**
Detroit, Mich.

PRICE . . \$900



MODEL: "N" REGAL "20"

COLOR	Body, blue; running gear, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	3 $\frac{3}{4}$ inches.
WHEEL-BASE	100 inches.	STROKE	4 $\frac{1}{2}$ inches.
GAUGE	56 or 60 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 3 inches.	IGNITION	Jump spark.
REAR	32 x 3 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS . .	Internal expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 22.5.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.




MODEL: ELMORE 25 ROADSTER

COLOR	Elmore blue; or body. Elmore red; running gear, yellow.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	108 ½ inches.	STROKE	3 ½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 3 ½ inches.	IGNITION	Jump spark.
REAR	32 x 3 ½ inches.	ELECTRIC SOURCE	Dry battery and spark generator.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	30.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**ELMORE MFG.
COMPANY**
Clyde, Ohio

PRICE . . \$1250
With Cape Top and
Windshield \$1350




MODEL: ELMORE 25 TOURING

COLOR	Elmore blue; or body, Elmore red; running gear, yellow.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Four persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORN	4 inches.
WHEEL-BASE . . .	108½ inches.	STROKE	3½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 3¼ inches.	IGNITION	Jump spark.
REAR	32 x 3¼ inches.	ELECTRIC SOURCE	Dry battery and spark generator.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	30.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**ELMORE MFG.
COMPANY**
Clyde, Ohio

PRICE . . \$1750
With Cape Top
\$1875
Toy Tonneau \$1750




MODEL: ELMORE 36-B

COLOR	Elmore blue or Elmore red.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4½ inches.
WHEEL-BASE . . .	114 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	Dry battery, spark generator and magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	50.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four, two cycle.	GEAR CHANGES .	Three forward, one reverse.

**THE GARFORD
C O M P A N Y**
Elyria, Ohio

PRICE - - \$3500
With Cape Top
\$3650




MODEL: GARFORD G-8 SEVEN-PASSENGER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE . . .	119 inches.	STROKE	5¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Make-and-break, magnetic plug.
REAR	36 x 4 ½ inches.	ELECTRIC SOURCE	Low tension magneto and storage battery.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 36.1.	TRANSMISSION .	Selective gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE GARFORD
COMPANY**
Elyria, Ohio

PRICE - - \$3500
With Cape Top
\$3650




MODEL: GARFORD G-8 FIVE-PASSENGER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE	119 inches.	STROKE	5¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS, . .		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Make-and-break, magnetic plug.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	Low tension magneto and storage battery.
BRAKE SYSTEMS . . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER	(A.L.A.M. rating) 36.1.	TRANSMISSION . . .	Selective gear.
CYLINDERS	Four.	GEAR CHANGES . .	Four forward, one reverse.

**THE GARFORD
C O M P A N Y**
Elyria, Ohio

PRICE . . \$4750




MODEL: GARFORD G-8 LIMOUSINE

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	4¾ inches.
WHEEL-BASE	119 inches.	STROKE	5¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 inches.	IGNITION	Make-and-break, magnetic plug.
REAR	36 x 4½ inches.	ELECTRIC SOURCE	Low tension magneto and storage battery.
BRAKE SYSTEMS . .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 36.1.	TRANSMISSION . .	Selective gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**BRUSH
RUNABOUT
COMPANY**

Detroit, Mich.

PRICE . . . \$485
(Without magneto,
headlights, etc.)




MODEL: BRUSH RUNABOUT "E"

COLOR	Body, dark green ; running gear, gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	80 inches.	STROKE	5 inches.
GAUGE	54 ½ or 59 ½ inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	28 x 3 inches.	IGNITION	Jump spark.
REAR	28 x 3 inches.	ELECTRIC SOURCE	Dry batteries (magneto extra).
BRAKE SYSTEMS . .	Expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	(A.L.A.M. rating) 6.4.	TRANSMISSION . .	Planetary.
CYLINDERS	One.	GEAR CHANGES .	Two forward, one reverse.

B R U S H
R U N A B O U T
C O M P A N Y
Detroit, Mich.

PRICE - - \$600




MODEL: BRUSH E-26

COLOR	Royal blue with white hair-stripe.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Two persons.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	4 inches.
WHEEL-BASE	80 inches.	STROKE	5 inches.
GAUGE	54 1/2 or 59 1/2 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	30 x 3 inches.	IGNITION	Jump spark.
REAR	30 x 3 inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS . .	Expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	(A.L.A.M. rating) 6.4.	TRANSMISSION . .	Planetary.
CYLINDERS	One.	GEAR CHANGES .	Two forward, one reverse.

**W. H. McINTYRE
COMPANY**
Auburn, Ind.

PRICE - - \$1250
With Cape Top
\$1325
Torpedo Roadster
T 5 . . . \$1150




MODEL: McINTYRE "A 5"

COLOR	Battleship gray.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	4 inches.
WHEEL-BASE . . .	110 inches.	STROKE	4½ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Vertical tube.
FRONT	32 x 3¼ inches.	IGNITION	Jump spark.
REAR	32 x 3½ inches.	ELECTRIC SOURCE	High tension magneto and dry batteries.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	30.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**R. L. MORGAN
C O M P A N Y**
Worcester, Mass.

PRICE
Chassis - \$4750




MODEL: MORGAN FIVE-TON TRUCK

COLOR	Optional.	ARRANGED	Vertically, under foot-board.
CARR'G CAPACITY	Five tons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	5 inches.
WHEEL-BASE . . .	141 inches.	STROKE	5 inches.
GAUGE	64 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 6 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches (dual).	ELECTRIC SOURCE	High tension magneto and battery.
BRAKE SYSTEMS	Contracting on transmission and expanding on both rear wheels.	DRIVE	Double side chain.
HORSE-POWER . . .	(A.L.A.M. rating) 40.	TRANSMISSION . .	Progressive planetary gear.
CYLINDERS	Four.	GEAR CHANGES .	Two forward, one reverse.

**HOTCHKISS
IMPORT
COMPANY**

*20 West 60th St.
New York City*

PRICE - - \$4750




MODEL: HOTCHKISS "Z"

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Cone.	BORE	3 1/8 inches.
WHEEL-BASE . . .	110 inches.	STROKE	4 1/4 inches.
GAUGE	53 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	810 x 90 mm.	IGNITION	Jump spark.
REAR	810 x 90 mm.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	12-16.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**DAIMLER
IMPORT
COMPANY**

**751 Fifth Ave.
New York City**

PRICE
Chassis - \$3500




MODEL: MERCEDES 20

COLOR	Optional.	ARRANGED	Vertically, under hood.
CLUTCH	Leather cone.	CAST	In pairs.
WHEEL-BASE	118 inches.	BORE	80 mm.
GAUGE	53½ inches.	STROKE	130 mm.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	820 x 120 mm.	RADIATOR	Honeycomb.
REAR	820 x 120 mm.	IGNITION	Jump spark.
BRAKE SYSTEMS	Contracting on transmission and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER	20.	DRIVE	Shaft.
CYLINDERS	Four.	TRANSMISSION	Selective gear.
		GEAR CHANGES	Four forward, one reverse.

**DAIMLER
IMPORT
COMPANY**

*751 Fifth Ave.
New York City*

PRICE
Chassis - \$8500




MODEL: MERCEDES 90

COLOR	Optional.	ARRANGED	Vertically, under hood.
CLUTCH	Spring.	CAST	In pairs.
WHEEL-BASE . . .	130 inches.	BORE	130 mm.
GAUGE	57 inches.	STROKE	180 mm.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	915 x 105 mm.	RADIATOR	Honeycomb.
REAR	935 x 135 mm.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Contracting on transmission and expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto.
HORSE-POWER . .	90.	DRIVE	Chain.
CYLINDERS . . .	Four.	TRANSMISSION . .	Selective gear.
		GEAR CHANGES .	Four forward, one reverse.

**FULLER
BUGGY
COMPANY**
Jackson, Mich.

PRICE - - \$850
With Gas Lamps
\$875




MODEL: FULLER "20"

COLOR	French Gray.	ARRANGED	Horizontally, under foot-boards.
CARR'G CAPACITY	One-half ton.	CAST	Separately.
CLUTCH	Multiple disc.	BORE	5 $\frac{1}{4}$ inches.
WHEEL-BASE . . .	100 inches.	STROKE	4 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 2 inches.	IGNITION	Jump spark.
REAR	36 x 2 inches.	ELECTRIC SOURCE	Low tension magneto and dry batteries.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 22.	TRANSMISSION .	Planetary.
CYLINDERS . . .	Two.	GEAR CHANGES .	Two forward, one reverse.

**MARQUETTE
MOTOR
COMPANY**

Saginaw, Mich.

PRICE . . \$4250




MODEL: RAINIER SEVEN-PASSENGER TOURING CAR

COLOR	Maroon, red, or royal blue.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Multiple disc.	BORE	5 inches.
WHEEL-BASE . . .	120 inches.	STROKE	5 ¼ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Honeycomb.
FRONT	36 x 4 ½ inches.	IGNITION	Make-and break.
REAR	36 x 4 ½ inches.	ELECTRIC SOURCE	Low tension magneto.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 40.	TRANSMISSION .	Selective gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**CARTERCAR
COMPANY**
Pontiac, Mich.

PRICE - - \$1350
With Mohair Cape
Top - - - \$1424




MODEL: CARTERCAR "L"

COLOR	Body, red or Brewster green; running gear, cream.	ARRANGED . . .	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
WHEEL-BASE . . .	110 inches.	BORE	4¼ inches.
GAUGE	56½ or 60 inches.	STROKE	4½ inches.
TIRE DIMENSIONS,		COOLING	Water.
FRONT	34 x 4 inches.	RADIATOR . . .	Flat tubular.
REAR	34 x 4 inches.	IGNITION	Jump spark.
BRAKE SYSTEMS .	Internal expanding on both rear wheels.	ELECTRIC SOURCE	High tension magneto and dry batteries.
HORSE-POWER . .	(A.L.A.M. rating) 28.9.	DRIVE	Single chain.
CYLINDERS . . .	Four.	TRANSMISSION .	Friction.

**THE ROYAL
TOURIST CAR
COMPANY**

Cleveland, Ohio

**PRICE . . \$4500
(With Cape Top)**




MODEL : ROYAL TOURIST TORPEDO M-3

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 1/4 inches.
WHEEL-BASE . . .	126 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 1/2 inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.	TRANSMISSION .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE ROYAL
TOURIST CAR
C O M P A N Y**

Cleveland, Ohio

**PRICE . . \$4500
(With Cape Top)
Limousine - \$5700**




MODEL: ROYAL TOURIST M-3 FIVE-PASSENGER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5 ½ inches.
WHEEL-BASE . . .	126 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4 ½ inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

**THE ROYAL
TOURIST CAR
COMPANY**

Cleveland, Ohio

**PRICE - - \$4500
(With Cape Top)
Limousine - \$5700**




MODEL : ROYAL TOURIST M-3 SEVEN-PASSENGER TOURING CAR

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Seven persons.	CAST	In pairs.
CLUTCH	Cone.	BORE	5½ inches.
WHEEL-BASE . . .	126 inches.	STROKE	6 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Square tube.
FRONT	36 x 4½ inches.	IGNITION	Jump spark.
REAR	36 x 5 inches.	ELECTRIC SOURCE	High tension magneto and storage battery.
BRAKE SYSTEMS .	Expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 48.	TRANSMISSION .	Selective sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Four forward, one reverse.

**S M I T H
AUTOMOBILE
C O M P A N Y**
Topeka, Kans.

PRICE . . \$2500




MODEL: GREAT SMITH CRUISER

COLOR	Body, red or Richelieu blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4 ½ inches.
WHEEL-BASE . . .	115 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS.		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Magneto and dry batteries.
REAR	36 x 4 inches.	ELECTRIC SOURCE	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION . .	Progressive sliding gear.
CYLINDERS . . .	Four.	GEAR CHANGES .	Three forward, one reverse.

S M I T H
AUTOMOBILE
COMPANY
Topeka, Kans.

PRICE - - \$2650




MODEL: GREAT SMITH TOURING CAR

COLOR	Body, red or Richelieu blue; running gear, cream.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	Separately.
CLUTCH	Cone.	BORE	4½ inches.
WHEEL-BASE . . .	114 inches.	STROKE	5 inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	36 x 4 inches.	IGNITION	Magneto and dry batteries.
REAR	36 x 4 inches.	ELECTRIC SOURCE	Jump spark.
BRAKE SYSTEMS .	Contracting and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . .	(A.L.A.M. rating) 32.4.	TRANSMISSION .	Progressive slid- ing gear.
CYLINDERS	Four.	GEAR CHANGES .	Three forward, one reverse.

**THE ACME
MOTOR CAR
COMPANY**
Reading, Pa.

PRICE - - \$2500
With Cape Top
\$2625
Four Passenger
Close - Coupled
\$2500
Five Passenger
Touring - - \$2500
Four Passenger
Four - Door Close-
Coupled - \$2500
Four Passenger
Toy Tonneau \$2500
Two Passenger
Runabout - \$2500



MODEL: S. G. V.

COLOR	Optional.	ARRANGED	Vertically, under hood.
SEATING CAPACITY	Five persons.	CAST	En bloc.
CLUTCH	Multiple disc.	BORE	3 $\frac{3}{4}$ inches.
WHEEL-BASE	115 $\frac{1}{4}$ inches.	STROKE	4 $\frac{3}{8}$ inches.
GAUGE	56 inches.	COOLING	Water.
TIRE DIMENSIONS,		RADIATOR	Cellular.
FRONT	34 x 4 inches.	IGNITION	Jump spark.
REAR	34 x 4 inches.	ELECTRIC SOURCE	High tension magneto.
BRAKE SYSTEMS . .	Contracting on transmission and expanding on both rear wheels.	DRIVE	Shaft.
HORSE-POWER . . .	(A.L.A.M. rating) 22.5.	TRANSMISSION . .	Selective sliding gear.
CYLINDERS	Four.	GEAR CHANGES .	Four forward, one reverse.

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name

Street City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
.....
GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
.....
GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
.....
GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
.....
GENTLEMEN:— Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
.....
GENTLEMEN:— Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
.....
GENTLEMEN:— Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

.....
GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK

(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19

GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,

Name.....

Street..... City

CATALOGUE REQUEST BLANK


(To be sent direct to the manufacturer.
For address see pages on which models are shown)

.....19


GENTLEMEN:—Please send me catalogue describing your automobiles shown
in the **HAND BOOK OF GASOLINE AUTOMOBILES**, published by the Association
of Licensed Automobile Manufacturers, and oblige,


Name.....

Street..... City
















UNIVERSITY OF CHICAGO



105 712 425